| Ž | N S S | 70 | N | 22 | 23 | 24 | 25 | 26 |
|------------------------|---|---|---|---|---|--|--|-------------------------------------|
| (01) | FIGURE ITEM | ; | n | 6 7 | 9 \ | <u> </u> | Ŋ | 2 |
| | MAINT ALW PER 100 F | | | W | a/r | W. | ſΛ. | r. |
| . 48) 1 % | ALW PER | | | | a/r | 20 | | |
| | (c) | * | * | * | a/r | * | * | * |
| (7) 30-DAY GS MAINT | ALLOWANC (b) 0 21-50 5 | * | * | * | a/r | * | * | * |
| 30-DA | (a) 1 -20 | * | * | * | a/r | * | * | * |
| AINT | (c) 51-100 | * | * | * | a/r | М | * | * |
| (6) 30-DAY DS MAINT | (h) 21.50 | * | * | * | a/r | 8 | * | * |
| 30.DA | (a) 1 20 | * | * | * | a/r | | * | * |
| (5) | INC IN | 4 | 4 | | _ | *** | | |
| | OF MEAS | e a | 111111111111111111111111111111111111111 | e O | 0 0 | ea | 6 | o O |
| (3) DESC 8 (DETON) | Reference Number & Mfr. Code Usable on Code | SCREW, CAP, HEXAGON HEAD stl pltd, 1/4-28 x .750 in. 1g MS90726-7 (96906) | BRACKET MOUNTING FUEL TANK 2.125 in. 1g x .750 in. w x .078 thickness 407-0271 (78385) manufactured from stainless steel Class 2D FSN 9515-204-4555 | HOOK, CHAIN, S cres A81-1-882 (81361) | CHAIN, WELDLESS stl, 0.062 in. dia stock, 23 links per ft, Type 2, Class 7 MIL-C-271 (81349) | PACKING, PREFORMED syn rubber, 1.234 in. id, 1.612 in. od, 0.139 in. thk MS29513-218 (96906) | HOOK, CHAIN 0.072 wire, 3/8 in. id, loops 3/16 in. min. opening B81-1-526 (81361) | CAP ASSEMBLY B68-13-1560 (81361) |
| (2) FEDERAL | STOCK NUMBER | 5305-068-0507 | | PF 4030-956-6126 | PF 4010-958-0633 | 5330-265-1075 | 4030-063-3979 | PF 1040-976-8980 |
| (E) 8W8 | CODE | P F | ₹ | PF | PF | PF | PF | PF |

| | N Z N | | 0 | - 9 | - / - | 22 22 13 | | <u> </u> | |
|------------------------|--|---|---------------------------------|--------------------------|---------------------------------------|--|--|--|--|
| (10) | (a) (b) FIGHE ITEM NO. NO. | | 1 0 | - - - | 10/ | | | | |
| | | | | | | 88 8 6 10 10 10 10 10 10 10 10 10 10 10 10 10 | | 22222 | |
| (9) DEPOT | MAINT ALW PER 100 EQUIP | <u></u> | | | | | 9 | | |
| (8) | AIM PER 100 EQUIP CNTGCY | 00 | | | · · · · · · · · · · · · · · · · · · · | | 50 | | |
| | | | | | | | 9 | | |
| (7) 30-04Y GS MAINT | (b) 50 5 | 9 | | | · | | W | | |
| 30-043 | (a) 1-20 | M | | | | | 7 | | |
| TNIA | (c) 51-100 | * | | | | | * | | |
| (9) | ALLOWANCE (a) (b) (c) 1 20 21-50 51-10 | * | _ | | | | * | | |
| \$0.04 | (a) (b) 1 | * | | | | # 4 - et - flot- | * | | |
| (5) | OTY INC IN | | | - | | | _ | | |
| €) | UNIT OF MEAS | | | <u> </u> | | | e a | | |
| (3) | DESCRIPTION Reference Number & Mfr. Code | GROUP 600-REPAIR KITS KIT, GASKET, COMPRESSOR 4459-0093 (57733) | c/o 4 EA GASKET, No. 130A457 | 4 EA GASKET, No. 3260162 | 2 EA GASKET, NO. 3260163 | <pre>1 EA PACKING, MS29561-229 2 EA GASKET, No. 3260144 1 EA GASKET & BELL, No. 3260188 1 EA GASKET, No. 3260267</pre> | REPAIR KIT, CONNECTING LINK, THIRD STAGE 4459-0049 | 4 EA WASHER, No. 3260133 2 EAPIN, WRIST, No. 3260130 1 EA PIN, COTTER, No. AN381-2-10 1 EA PIN, COTTER, AN381-15-16 1 EA LINK, CONNECTING, No. 3260129 50 EA BEARING, NEEDLE, No. Q8279 | |
| (2) | FEDERAL STOCK NUMBER | 1040-788-5374 | | | | | 4310-979-9301 | | |
| (3) | SMR CODE | PH | | | | | H H | | |

| ION S | ITEM NO. | | N450C0 | | 10 112 114 115 116 | | | |
|-------------------------------------|---|---|---|---|--|--|--|-------------|
| (10) HLUSTRATION (a) (b) | FIGURE IT | | | , | 000000000000000000000000000000000000000 | ······································ | | · |
| (9) DEPOT IL MAINT NUW PER | EQUIP N | 9 | | 5 | | | aun.i | |
| (B) 1 Y DI ALW PER M | CNTCCY | 50 | ··· | 50 | | | | |
| | ant is | 9 | | 9 | | | | |
| GS MAD OWANG (b) | 21-50 51 | Μ. | | М | | ······································ | | · |
| 1 62- | स् ९ | 17 | | | | | | |
| | 61-150 | <u>/-</u> | | | | | | |
| 1 TV | 1.50 | | | | | : | 4 | . |
| 30-DAY | P | | 1-1007 | | | | ······································ | |
| (5) OTY INC IN | | | , , , , , , , , , , , , , , , , , , , | | | | | |
| (4) UNIT OF | | a a | | e O | 92 | | | |
| (3) DESCRIPTION | Reference Number & Mfr. Code Usable on Code | KIT, REPAIR CONNECTING LINK, SECOND STAGE 4459-0048 (78385) | 1 EA LINK, CONNECTING, No. 3260128 4 EA WASHER, No. 3260133 1 EA PIN, COTTER, AN381-15-16 2 EA PIN, WRIST, No. 3260130 1 EA PIN, COTTER, No. AN 381-2-10 50 EA BEARING NEEDLE, No. 08279 | KIT, REPAIR, OIL PUMP 4459-0047 (78385) c/o | EA PACKING, No. MS29561-013 EA CYLINDER, No. 3260566 EA SOCKET, MASTER ROD, No. 3260556 EA SHIM, No. 3260265 EA PISTON ASSEMBLY, No. 3260569 EA BALL, No. MS134355 EA RETAINER, BALL, No. 448-0480 EA RETAINER, PISTON, No. 3260266 | | | |
| (2) FEDERAL STOCK NUMBER | | 4310-979-9300 | | 4310-979-9299 | | | | |
| SMR CODE | | H | | PH- | | | | : |

.




Figure 1. Cover assembly.




Figure 2. Moisture separator.



MU-E-239-35P-3

Figure 3. Separator section.




Figure 4. Fan, aftercooler, and basic compressor.




Figure 5. Air intake filter.




Figure 6. Third stage.




Figure 7. Second stage.




Figure 8. First stage.




Figure 9. Endbell connecting rod and shaft.





Figure 10. Oil reservoir and breather.



ı

Figure 11. Engine and mounting bracket.




Figure 12. Engine accessories.




Figure 13. Frame and fuel tank.

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Stock Number | Figure No. | Item No. | Stock Number | Figure | Item |
|---------------|---------------|----------|---------------|--------|---------|
| 1040-076-8849 | 9 | 2 | 1040-906-7901 | 4 | 15 |
| 1040-081-8079 | 13 | 15 | 1040-906-7902 | 9 | 8 |
| 1040-083-2606 | 1 | ŀ | 1040-906-7905 | 7 | 13 |
| 1040-083-2607 | 1 | 3 | 1040-906-7906 | 7 | 14 |
| 1040-083-2608 | 1 | 9 | 1040-906-7909 | 4 | 16 |
| 1040-083-2614 | 1 | 7 | 1040-921-5291 | 13 | 1 |
| 1040-083-2617 | 3 | 5 | 1040-921-5294 | 7 | 17 |
| 1040-084-0436 | 12 | 6 | 1040-921-5295 | 10 | 7 |
| 1040-084-0438 | 2 | 16 | 1040-921-5296 | 10 | 6 |
| 1040-727-3731 | 4 | 11 | 1040-921-5297 | 12 | 9 |
| 1040-759-3895 | 9 | 9 | 1040-921-5298 | 13 | 13 |
| 1040-759-9767 | 9 | 4 | 1040-921-5299 | 3 | 4 |
| 1040-763-3254 | 13 | 2 | 1040-921-5300 | 3 | 9 |
| 1040-764-5948 | 5 | 6 | 1040-921-5301 | 10 | 1 |
| 1040-764-5949 | 5 | 2 | 1040-971-4920 | 11 | П |
| 1040-784-7455 | 4 | 12 | 1040-971-4921 | 11 | 9 |
| 1040-788-5373 | 4 | 4 | 1040-976-8980 | 13 | 26 |
| 1040-788-5374 | • | - | 1040-994-7985 | 13 | 9 |
| 1040-863-7451 | 1 | 4 | 1270-733-1322 | 6 | 2 |
| 1040-906-7899 | 2 | 14 | | _ | <i></i> |
| | | | | | |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| | Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item <u>No.</u> |
|---|---------------------------------|---------------|----------|---------------|------------|--------------------|
| | 1270-830-2836 | 3 6 | 3 3 | 4310-906-1008 | 9 | 18 |
| I | 2805-068-7510 | 11 | 5 | 4310-979-9284 | 6 | 6 |
| | 2805-759-3894 | . 9 | 16 | 4310-979-9287 | 8 | 15 |
| | 2910-912-9485 | 13 | 9 | 4310-979-9288 | 8 | 14 |
| | 2990-972-2318 | 11 | 2 | 4310-979-9289 | 8 | 13 |
| | 3020-971-1366 | II. | 6 | 4310-979-9294 | 8 | 11 |
| - | 3110-100-2394 3110-227-3181 | 9 9 | 7 | 4310-979-9295 | 6 | 22 |
| | 3110-902-3397 | 9 | 11 | 4310-979-9296 | 7 | 19 |
| | 3110-902-3398 | 9 | 7 | 4310-979-9299 | ••• | - |
| | 3120-993-0093 | 4 | 13 | 4310-979-9300 | | - |
| | 4010-958-0633 | 13 | 23 | 4310-979-9301 | - | - |
| | 4020 - 233-6 5 55 | i | 8 | 4310-980-0664 | 9 3 | 13 1 |
| | 4030-063-3979 | 13 | 25 | 4310-981-7579 | 6 | 1 |
| | 4030-956-6126 | 13 | 22 | 4310-983-3072 | 4 | 5 |
| | 4310-727-3736 | 8 | 20 | 4310-983-3075 | 7 | 8 |
| | 4310-728-5126 | 4 | 3 | 4310-983-3076 | 6 | 7 |
| | 4310-788-0907 | 8 | 23 | 4310-986-7764 | 6 | 21 |
| | 4310-790-0954 | 8 | 9 | 4310-986-7766 | 4 | 14 |
| | 4310-790-0985 | 8 | 24 | 4310-986-7767 | 8 | 16 |
| | 4310-792-1491 | 5 | ! | 4310-992-5746 | 9 | 8 |
| | | | | | | 1 |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
|---------------|------------|----------|---------------------------------|---------------|-------------|
| 4730-197-2916 | 6 8 | 7 I | 5305-614-3423 | 4 | 8 |
| 4730-231-3026 | 2 | 20 | 5305-806-1800 | 8 | 18 |
| 4730-277-5083 | 6 | 8 | 5305-842-5646 | 4 | 20 |
| | 7 8 | 9 2 | 5305 - 899 -300 2 | 4 9 | 2 |
| 4730-277-6372 | 2 | 9 | 5305-939-9 90 | 11 | 1 |
| 4730-287-0092 | 10 | 3 | 5305-984-6211 | 10 | .5 |
| 4730-289-3070 | 13 | 12 | 5305-984-6215 | 8 | 6 |
| 4730-788-0902 | 2 | 8 | 5305-993-2459 | 13 | 17 |
| 4730-908-6292 | 2 | 15 | 5306-064-8407 | 11 | 10 |
| 4730-977-7663 | 2 | 12 | 5306-559-0474 | 9 | 13 |
| 4730-979-9281 | 7 | 17 | 5306-754-1787 | 2 | 4 |
| 4730-979-9296 | 7 | 19 | 5306-879-2800 | 1 | 2 |
| 4820-254-8640 | 12 | 8 | 5306-964-9603 | 4 | 9 |
| 4820-907-3448 | 2 | 13 | 5306-999-0488 | 4 | 17 |
| 5305-043-6749 | 2 12 | 2 | 5310-012-0379 | 9 | 14 |
| | 13 | 3 | 5310-012-1753 | H | 8 |
| 5305-068-0500 | 11 | 7 | 5310-061-7325 | 1 | 6 |
| 5305-068-0507 | 13 | 20 | | 13 | 16 |
| 5305-253-5609 | 9 | 3 | 5310-183-4406 | 8 | 8 |
| 5305-614-0246 | 10 | 11 | 5310-194-0637 | 13 | 18 |
| | | <u> </u> | 5310-231-3026 | 2 | 20 |

| Section | INDEX - CROSS-F | FEDERAL S | STOCK NUMBER AND REI TO FIGURE AND ITEM | FERENCE NU | MBER |
|----------------|--------------------|-------------|--|-------------|--------------|
| Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
| 5310-270-8810 | 5 12 | 3 4 | 5315-727-1636 | 8 | 25 |
| 5310-275-3683 | 3 | 7 | 5315-788-5372 | 9 | 10 |
| 5310-282-7834 | 2 | 18 | 5320-999-0397 | 13 | 14 |
| 5310-543-5933 | 11 | 3 | 5330-171-5099 | 3 | 5 |
| 5310-550-9449 | 6 7 8 | | 5330-186-1295 | 6 7 8 | 9 10 3 |
| · | 9 | 1 | 5330-186-4947 | 2 | 8 |
| 5310-559-0070 | 4 4 | 2 7 | 5330-263-8028 | 2 | 9 |
| 5310-576-5752 | 4 | 19 | 5330-263-8030 | 12 | 5 |
| | 5 8 | 4 7 | 5330-263-8031 | 13 | 11 |
| | 12 | 3 | 5330-265-1075 | 13 | 24 |
| 53 0-596-769 | 2 | 3 | 5330-582-7289 | 10 | 4 |
| 5310-596-7957 | 2 8 | 6 5 | 5330-727-2240 | 8 | 17 |
| | 10 13 | 2 7 | 5330-788-0906 | 3 | 6 |
| 5310-616-3056 | 2 | 19 | 5330-988-8808 | 7 | 16 |
| 5310-788-0900 | 4 | 10 | 5330-993-0084 | 9 | б |
| 5310-809-8546 | 13 | 4 | 5330-993-0085 | 9 | 17 |
| 5310-849-7733 | 1 | 5 | 5330-999-0462 | 13 | 5 |
| 5310-877-5796 | 13 | 10 | 5330-999-0478 | 7 | 15 |
| 5310-934-9751 | 12 | 4 | 5330-999-0677 | 8 | 10 |
| | | | 5340-079-7837 | 12 | 2 |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
|-----------------------|------------|----------|--------------|---------------|-------------|
| 5340-205-6301 | 2 | 1 | | | |
| 5340-282-8335 | 13 | 6 | | | |
| 5340-285-7010 | 4 | 18 | | | |
| 5340-597-9408 | 13 | 8 | | | |
| 5 340-769-5311 | 4 | 6 | | | |
| 5340-804-6855 | 8 | 21 | | | |
| 5340-977-7247 | 13 | 19 | | | |
| 5340-989-6774 | 6 | 5 | | | |
| 5340-989-6775 | 7 | 14 | | | |
| 5340-989-6776 | 8 | 12 | | | |
| 7690-728-5129 | 3 | 10 | | | |

| Section | n IV.INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER | | | | | | | | | | |
|-------------|--|------------|----------|------------------------|--------------------|------------|-------------|--|--|--|--|
| Reference | Mfg <u>Code</u> | Fig No. | Item No. | Reference No. | Mfg <u>Code</u> | Fig No. | Item No. | | | | |
| A2121 | 95138 | 2 | 12 | B68-13-1567 | 81361 | 2 | 16 | | | | |
| A68-13-1523 | 81361 | 13 | 19 | B81-1-526 | 81361 | 13 | 25 | | | | |
| A68-13-1528 | 81361 | П | 10 | B81-1-6878 | 81361 | 1 | 2 | | | | |
| A81-1-882 | 81361 | 13 | 22 | C68-13-1572 | 81361 | 11 | 2 | | | | |
| AN381-2-10 | 88044 | 6 | 14 | D68-13-1551 | 81361 | l | 1 | | | | |
| AN381-15-16 | 88044 | 6 | 15 | D68-13-1570 | 81361 | i | 7 | | | | |
| AN6289D6 | 88044 | 6 | 8 | D81-1-6869-1 | 81361 | 1 | 3 | | | | |
| AN6289-4 | 88044 | 2 | 9 | D81-1-6872-1 | 81361 | 1 | 9 | | | | |
| AN814-5D | 88044 | 10 | 3 | D81-1-6876 | 81361 | ı | 4 | | | | |
| AN833-4 | 88044 | 2 | 20 | LP20074-03-03 | 03038 | 4 | 17 | | | | |
| AN833-6D | 88044 | 6 | 7 | M1L-C-271 | 81349 | 13 | 23 | | | | |
| AN837-6D | 88044 | 7 8 | 18 | MIL-C-2533 | 81349 | ı | 8 | | | | |
| AN911-1 | 88044 | 12 | 10 | MS134355 | 96906 | 10 | 15 | | | | |
| AN924-10D | 88044 | 2 | 18 | MS15795-311 | 96906 | 1 | 5 | | | | |
| AN960PD10 | 88044 | 8 | 8 | MS16625-4037 | 96906 | ·8 | 21 | | | | |
| B68-13-1532 | 81361 | 11 | 6 | MS200 74- 03-03 | 96906 | 2 | 4 | | | | |
| B68-13-1540 | 81361 | ' | 11 | MS20364-1032A | 96906 | 2 8 | 6 | | | | |
| B68-13-1541 | 81361 | 11 | 9 | | | 13 | 5 7 | | | | |
| B68-13-1560 | 81361 | | | MS21044N4 | 96906 | 13 | 10 | | | | |
| B68-13-1566 | | 13 | 26 | MS21045-4 | 96906 | 13 | 16 | | | | |
| D00=13=1300 | 81361 | 12 | 6 | MS21318-13 | 96906 | 9 | 3 | | | | |

Section IV.INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Reference No. | Mfg <u>Code</u> | Fig No. | Item <u>No.</u> | | Mfg <u>Code</u> | Fig No. | Item No. |
|------------------|--------------------|------------|--------------------|---------------------|--------------------|------------|-------------|
| MS21333-67 | 96906 | 12 | 2 | MS35226-62 | 96906 | 2 12 | 2 |
| MS21919DG-4 | 96906 | 2 | 1 | | | 13 | 3 |
| MS21919F8 | 96906 | 13 | 6 | MS35265-43 | 96906 | 4 | 8 |
| MS21919F10 | 96906 | 13 | 8 | MS35265-69 | 96906 | 4 | 20 |
| MS27183-8 | 96906 | 13 | 4 | MS35266-63 | 96906 | 10 | 11 |
| MS28777-4 | 96906 | 2 | 10 | MS35275-265 | 96906 | 11 | 1 |
| MS28777-6 | 96906 | 6 | 9 | MS35292-32 | 96906 | 9 | 13 |
| MS28783-6 | 96906 | 3 | 2 | MS35333-38 | 96906 | 4 | 2 |
| MS29512-04 | 96906 | 2 | 11 | | | 4 | 7 |
| MS29512-08 | 96906 | 13 | Н | MS 35335- 39 | 96906 | 4 8 | 19 7 |
| MS29512-6 | 96906 | 12 | 5 | MS35333-73 | 96906 | 11 | 3 |
| MS29513-218 | 96906 | 13 | 24 | MS35335-3 | 96906 | 11 | 8 |
| MS29561-013 | 96906 | 10 | 9 | MS35335-32 | 96906 | 2 | 3 |
| MS29561-127 | 96906 | 8 | 10 | MS35335-40 | 96906 | 3 | 4 |
| MS29561-217 | 96906 | ·7 | 16 | MS35335-41 | 96906 | 2 | 19 |
| MS29561-229 | 96906 | 8 | 17 | MS35337-26 | 96906 | 9 | 14 |
| MS35206-242 | 96906 | 4 9 | 2 | MS35650-104 | 96906 | 5 !! | 3 |
| MS35206-264 | 96906 | Ю | 5 | MS35650-302 | 96906 | 12 | 4 |
| MS35206-268 | 96906 | 8 | 6 | MS35842-14 | 96906 | 2 | 15 |
| MS35207-283 | 96906 | 13 | 17 | MS9015-08 | 96906 | 13 | 12 |

| Section V. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER | | | | | | | | | | | |
|---|--------------------|------------|------|------------------|-------|------------|--------------------|--|--|--|--|
| Reference No. | Mfg <u>Code</u> | Fig No. | Item | Reference No. | = | Fig No. | Item <u>No.</u> | | | | |
| MS90725-3 | 96906 | 11 | 7 | 3260124 | 78385 | 4 | 9 | | | | |
| MS90726-7 | 96906 | 13 | 20 | 3260125 | 78385 | 4 | 13 | | | | |
| MS9320-10 | 96906 | 13 | 18 | 3260127 | 78385 | 9 | 9 | | | | |
| PA821-0604 | 92003 | 2 | 8 | 3260128 | 78385 | 7 | 3 | | | | |
| Q3L05X3A | 43334 | 9 | 7 | 3260129 | 78385 | 6 | 18 | | | | |
| Q8 27 9 | 78385 | 6 | 19 | 3260130 | 78385 | 6 | 13 | | | | |
| QQ-A-250/11 | 81348 | 9 | 15 | 3260132 | 78385 | 4 | 14 | | | | |
| I-A0-8-III | 88408 | 11 | 5 | 3260133 | 78385 | 6 | 12 | | | | |
| 116-B100-14 | 78385 | 2 | 13 | 3260135 | 78385 | 8 | 9 | | | | |
| 11681 - 81N | 30327 | 12 | 9 | 3260139 | 78385 | 8 | 24 | | | | |
| 130A0456 | 78385 | 10 | 4 | 320142 | 78385 | 8 | 20 | | | | |
| 130A457 | 57733 | 6 | 10 | 3260143 | 78385 | 8 | 23 | | | | |
| 130B2746 | 78385 | 6 | ı | 3260144 | 57733 | 8 | 22 | | | | |
| 130B1136 | 78385 | 6 | 21 | 3260146 | 78385 | 8 | 14 | | | | |
| 1481206 | 80201 | 9 | 17 | 3260147 | 78385 | 8 | H | | | | |
| 14830Q6 | 80201 | 9 | 6 | 3260148 | 78385 | 6 | 5 | | | | |
| 2740251 | 78385 | 6 | 2 | 3260149 | 78385 | 8 | 13 | | | | |
| 274103 | 78385 | 6 | 3 | 3260153 | 78385 | 8 | 25 | | | | |
| 305 | 28986 | 2 | 17 | 3260159 | 78385 | 7 | 17 | | | | |
| | | | | 3260161 | 78385 | 7 | 14 | | | | |
| 3260123 | 78385 | 9 | 8 | 3260162 | 57733 | 6 | 16 | | | | |

| Section | IV IMEY | | TO AT C | STOCK NUMBER AND | DEBEDENCI | р мимо | Tr D |
|-----------------|--------------------|------------|--------------------|------------------|--------------------|-------------------|-------------|
| Section | | | | TO FIGURE AND IT | | | EK |
| Reference | Mfg <u>Code</u> | Fig No. | Item <u>No.</u> | | Mfg <u>Code</u> | Fig <u>No.</u> | Item No. |
| 3260163 | 57733 | 6 | 17 | 3260566 | 78385 | 10 | 10 |
| 3260164 | 78385 | 8 | 15 | 3260569 | 78385 | 10 | 14 |
| 3260165 | 78385 | 8 | 16 | 3590175 | 78385 | 4 | 11 |
| 3260167 | 78385 | 5 | 5 | 3750231 | 78385 | 6 | 20 |
| 3260168 | 57733 | 9 | 10 | 3750345 | 78385 | 4 | 5 |
| 3260169 | 78385 | 7 | 8 | 3760100-4 | 78385 | 4 | 15 |
| 3260170 | 78385 | 6 | 22 | 3800178 | 78385 | б | 4 |
| 3260185 | 78385 | 4 | б | 3800195 | 78385 | 6 | 6 |
| 3260188 | 57733 | 9 | 5 | 3800196 | 78385 | 8 | 12 |
| 3260220 | 78385 | 9 | 16 | 3811000 | 78385 | 2 | 14 |
| 3260240 | 78385 | 9 | 18 | 3811021 | 78385 | 3 | 6 |
| 3260243 | 78385 | 4 | 12 | 3811022 | 78385 | 3 | • |
| 3 260265 | 78385 | 10 | 13 | 407-0271 | 78385 | 13 | 21 |
| 3260281 | 78385 | 9 | 4 | 412-0093 | 78385 | 9 | 8 |
| 3260299 | 78385 | 9 | 2 | 425-0124 | 78385 | 7 | 14 |
| 3260390 | 78385 | 4 | 3 | 434-0167 | 78385 | 13 | 15 |
| 3260391 | 78385 | 3 | 7 | 434-0230 | 78385 | 13 | 15 |
| 3260424 | 78385 | 5 | 1 | 434-0233 | 78385 | 13 | 2 |
| 3260548 | 57733 | 4 | 4 | 4407-0058 | 78385 | 13 | 13 |
| 3260551 | 78385 | 2 | 7 | 4408-0054 | 78385 | 7 | 17 |
| 3260556 | 78385 | 10 | 12 | 4417-0013 | 78385 | 9 | 18 |

SMUEA-TS Form 25-1 1 Feb 68

| Section | | | | TOCK NUMBER AND IT | | | ER |
|------------------------|--------------------|------------|--------------------|--------------------|--------------------|-------------------|-------------|
| Reference | Mfg <u>Code</u> | Fig No. | Item <u>No.</u> | Reference No. | Mfg <u>Code</u> | Fig <u>No.</u> | Item No. |
| 4421-0021 | 78385 | 7 | 19 | 742d6 | 88044 | 4 | 18 |
| 4428-0167 | 78385 | 4 | 16 | 803831 | 33525 | 12 | 7 |
| 4455-0017 | 78385 | 10 | 1 | 8599621-330 | 99974 | 8 | 81 |
| 4455-0020 | 78385 | 5 | 2 | 873561 | 33525 | 3 | 5 |
| 4455-0021 | 78385 | 5 | 6 | | | | |
| 4457-0016 | 78385 | 13 | 9 | | | | |
| 448-0480 | 78385 | 10 | 16 | | | | |
| 448-0483 | 78385 | 7 | 15 | | | | |
| 448-0507 | 78385 | 13 | 5 | | | | |
| 457-0023 | 78385 | 10 | 6 | | | | |
| 465-0118 | 78385 | 7 | 13 | | | | |
| 48A113 | 78385 | 3 | 3 | | | | |
| 50FK420 | 56878 | 6 | 11 | | | | |
| 500592 | 10001 | 12 | 9 | | | | |
| 52TE126 | 33525 | 4 | 10 | | | | |
| 614-0014 | 78385 | 9 | 7 | | | | |
| 614-0015 | 78385 | 9 | П | | | | |
| 628-0015 | 78385 | 12 | 8 | | | | |
| 628-0041 | 78385 | 10 | 7 | | | | |
| 6480042 - 1 | 78385 | 13 | 14 | | | | |
| | | | | | | | |



W. C. WESTMORELAND, General, United States Army, Chief of Staff.

Official:

KENNETH G. WICKHAM, Major General, United States Army, The Adjutant General.

Distribution:

```
Active Army:
```

```
CNGB (1)
                                                       Arsenals (3) except
 USAMB (2)
                                                        Edgewood (50)
 USAMC (5)
                                                       Ft Knox FLDMS (10)
 USAMUCOM (5)
                                                       Units org under fol TOE: 3 ca. UNOINDC
USACDC (2)
USACDCEC (10)
                                                        3-32
USACDC Agey (2)
                                                        3-36
USCONARC (10)
                                                        8-47
ARADCOM (5)
                                                        3-117
ARADCOM Rgn (5)
                                                        3-147
OS Maj Comd (5)
                                                        3-500
Armies (5)
                                                        29-1
Corps (3)
                                                        29-11
Div (8)
                                                        29-15
Instl (2) except
                                                        29-17 (1)
  USAECFB (4)
                                                        29-21
USMA (10)
                                                        29-25
Svc Colleges (10)
                                                        29-27 (1)
Br Svc Sch (10) except
                                                        29-35
  USACMLCS (50)
                                                        29-37 (1)
Gen Dep (5)
                                                        29-45
Dep (5)
                                                        29-51
Army Dep (5)
                                                        29-55
USAARMC (2)
                                                        29-56 (1)
USAFACES (2)
                                                        29-57 (1)
USAMMCS (2)
                                                        29-75
USAIC (2)
                                                        29-79 (1)
POE (1)
                                                        29-105
EAMTMTS (1)
                                                        29-106
WAMTMTS (1)
                                                        29-109
PG (5)
                                                        29-500
USAAPSA (5)
```

ARNG: State AG (8); Div (1).

USAR: Same as Active Army except allowance is one (1) copy each.

For explanation of abbreviations used, see AR 810-50.

4-U.S. COVERNMENT PRINTING OFFICE : 1987—181-421 (10342)

| | N S | | | 7 | M | 4 | R. | | | |
|------|---|--------------|-------------------------------|-------------------------------|---------------------------------|---|---|--------------------------------------|--|--|
| (10) | (a) (b) FIGURE ITEM NO. NO. | | <u> </u> | | | | | φ | | |
| | | | | ₩ | ω | 10 | 9 | 9 | v | 9 |
| 6) | MAINT ALW PER 100 EQUIP | | 9 | REF | REF | <u> </u> | 0 | 0 | 2 | 2 |
| €, | ALW PER 100 EQUIP CNTGCY | | - | REF | REF | | _ | _ | | |
| | 1-20 21-50 51-100 | | * | EF. | REF | * | * | * | * | * |
| ε | (b) 21 -50 | , | 妆 | REF | ZEF | * | * | ** | * | * |
| | | | * | ÆF. | REF | * | * | * | * | * |
| | (c) (c) 51-100 | | 郑 | REF | ZEF. | * | ж | * | * | * |
| €, | ALLOWANCE (a) (b) (c) 1 20 21-50 51-100 | | 本 | ÆF | Ä. | * | * | * | * | * |
| 5 | | | * | ÆF. | REF | * | * | * | * | * |
| (2) | OTY INC IN UNIT | | | | - | 4444 | _ | _ | - | |
| €) | UNIT OF MEAS | | 60 | 8 | 6 9 | 60 | 69 | 69 | 65 60 | 60 40 |
| (6) | DESCRIPTION Reference Number & Mfr. Gode Usable on Gode | THIRD STAGE | RETAINER I 30B2746 (78385) | RING, DISK 2740251 (78385) | DISK, RUPTURE 274103 (78385) | CAP, CYLINDER, THIRD STAGE 3800178 (78385) | SPRING, HELICAL COMPRESSION 3-1/2 active coils, .930 free length, 0.47 dia material size 3260148 (78385) | VALVE, COMPRESSOR 3800195 (78385) | ELBOW, TUBE aluminum alloy, u/w 3/8 od, tube bulkhead style, thd male 9/16-18, 1-51/64 and 1-5/64 in. 1g, 90 degree AN833-6D (88044) | STRAINER AND RELIEF VALVE ASSEMBLY third stage 3260179 (78385) |
| (2) | FEDERAL STOCK NUMBER | | 4310-981-7579 | 1270-733-1322 | 1270-830-2836 | 4310–979–9279 | 5340-989-6774 | 4310-979-9284 | 4730-197-2916 | 4310-983-3076 |
| 63 | SHOR | | р Н | # | # | # | - | # | P - F | - F |

| PATION (b) (TEM | ω | σ, | 2 | ***** | 2 | <u>~</u> | 4 | 5 | 9 |
|--|------------------------------------|--|--|---|------------------------|----------------------------|---|---------------------------------|------------------------|
| (10) ILLUSTRATION (a) FIGURE ITEM NO N | 9 | 9 | φ | ο | φ | 9 | 9 | 9 | 9 |
| DEPOT I AMAINT ALW PER FOUNDER | <u> </u> | Ŋ | | Q | | . | • | | ·. · |
| (8) 1 Y. ALW PER 190 EQUIP | - | 001 | · • • • • • • • • • • • • • • • • • • • | | | | | · | |
| | * | * | | * | | | | | |
| 30-DAY GS MAINT ALLOWANC (a) (b) (c) 1-26 21-50 51-100 | * | * | | * | | | * | | |
| 30-DA AL (a) | * | * | | * | | | | | |
| MAINT NGE (c) 51-160 | * | Abresse Control of the Control of th | | * | | | · - · · · · · · · · · · · · · · · · · · | | |
| 69 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × 0 × | * | 9 | | * | | | | | |
| 30.D. (a) (a) | * | М | - 10 10 10 10 10 10 10 10 10 10 10 10 10 | * | | | | | |
| (S) CTO NI ONI TINU | | | | 4 | | | | | |
| (4) UNIT OF MEAS | e e | 0 | | 63 | | | | | |
| (3) DESCRIPTION Reference Number & Mfr. Code Usable on Code | FITTING 3 od tube size,)44) | WASHER, NONMETALLIC leather, 1/4 in. od, 0.136 in. id, 0.94 in. thk MS28777-6 (96906) | l EA GASKET tube fitting 130A457 | NUT, SELF-LOCKING HEXAGON stl, 1/4-20 50FK420 (56878) | 4 EA WASHER 3260133 | 2 EA PIN, WRIST 3260130 | I EA PIN, COTTER AN381-2-10 | I EA PIN, COTTER AN381-15-16 | 2 ÉA GASKET 3260162 |
| (3) FEDERAL STOCK NUMBER | 4730-277-5083 | 5330-186-1295 | | 5310-550-9449 | | | | | |
| (1) SMR CODE | P-F- | 9 - 7 - 1 | | d. H | | | | | |

| Z O | ~×. | 7 | <u> </u> | 6 | 50 | 21 | 22 | | | 7 | М |
|------------------------|----------------------------|---|----------------------------------|-------------------------------|--|--|--|--------------|------------------------|--|----------------------------------|
| (10) ILLUSTRATION | FIGHE ITEM NO. NO. | vo | φ | y | | 9 | 9 | | | 7 | 7 |
| | | | | | N | 9 | 9 | | | | |
| (9) DEPOT | ALW PER | | | | | | | | | | |
| | ALW PER 1 | | | | • | 50 | 50 | | | | |
| | | | <u></u> | | * | 9 | 9 | | | | |
| (7) 30-DAY GS MAINT | (b) 21-50 | | | | * | М | М | | | | |
| 30-DAY | (a) 1-20 | | | | * | 2 | 7 | | | | |
| INI | (c) 51-100 | | | | * | * | * | | | | |
| (5) NA | (b) (b) | | | | * | * | * | | | | |
| 30-DAY | (a) 1 20 2 | | | | * | * | * | ····· | | | |
| <u>(5)</u> | NC IN | | | | | | _ | | | | |
| £ | UNIT OF II | | , . , | | o O | e a | o O | | | | |
| (5) | SCRIPTION | Reference Number & Mfr. Gode Usable on Gode 1 EA GASKET 3260163 | I EA LINK, CONNECTING 3260129 | 50 EA BEARING NEEDLE Q8279 | REDUCER, TUBE stl pitd, u/w 1/4 and 3/8 od tube, 7/16-20 and 9/16-18 thd size 3750231 (78385) | BOSS SEAL METALLIC 13081136 (78385) | CYLINDER AND PISTON ASSEMBLY third stage 3260170 (78385) | SECOND STAGE | 2 EA GASKET 3260162 | 2 EA GASKET 3260163 | I EA LINK, CONNECTING 3260128 |
| (2) | FEDERAL STOCK NUMBER | | | | PH 4730-088-8520 | 4310-986-7764 | 4310-979-9295 | | | Arter and the second of the se | |
| ε | SMR | | | | Hd | 4 H | - H | | | | |

| | õ | SES. | 4 | 5 | 9 | | ® | 0, | 0 | | 2 |
|----------|------------------------------|--|------------------------|---------------------------------|----------------------------|--------------------------------|--|---|--|--------------------------------------|--|
| (10) | ILLUSTRATION | 300 300 300 300 300 300 300 300 300 300 | 7 | | ~ | | ~ | ~ | <u></u> | <u>~</u> | P |
| (3) | | ALW PER | | | | ····· | 0 | A F | A | | A T |
| £ | ALW PER V | EQUIP CNTCCY X | | <u>.</u> | | | Sales . | REF | A H | | Æ |
| | _ | | | | | | * | A.F. | REF | | Æ |
| ε | 30-DAY CS MARK | (b) 21-50 | | | | | 卑 | REF | A | | <u> </u> |
| | 30-05 | | | | | | 챼 | A F | REF | | REF |
| | CE | (c) 51-100 | | _ | | | * | 7.59 | 7.5 | | |
| 9 | 30-DAT DS MAINT ALLOWANCE | (b) 2150 | | | · | | * | 7. 1 | REF | | |
| Ŀ | | (e) 1 N | | | ~ | | * | 띴 | Ä | | |
| 9 | | UNIT | | | | | | 7 | 7 | | ব |
| 3 | TINS | MEAS | | 5. // | · | | 69 | 60 | 8 | | 63 |
| (c) | DESCRIPTION | Reference Mambler & Mfr. Gods Usable on Cods | 4 EA WASHER 3260133 | I EA PIN, COTTER AN381-15-16 | 2 EA PIN, WRIST 3260130 | 1 EA PIN, COTTER AN381-2-10 | STRAINER AND RELIEF VALVE ASSEMBLY 3260169 (78385) | LOCKNUT, TUBE FITTING aluminium, 3/8 od tube size, 9/16-18 thd AN6289D6 (88044) | WASHER, NOWMETALLIC leather, 1/4 od, 0.136 id, 0.062 in. thk AN6246-1 (88044) | 2 EA GASKET, TUBE FITTING 130A457 | NUT, SELF-LOCKING HEXAGON sti pitd, 1/4-20 MSS5310-6 (08288) |
| (2) | FEDERAL | NUMBER | | | | | 4310-983-3075 | PF 4730-277-5083 | P-F- 5330-186-1295 | | PH 5310-550-9449 |
| € | Sopr | | | | | | P | P-f- | P-F- | | P-H- |

| (10) ILUSTRATION | ITEM NO. | <u>~</u> | 4 | 4 | 15 | 91 | -1 | 17 | <u>∞</u> | 6 |
|------------------------------------|---|------------------------------------|----------------------------|---|------------------------------------|--|---|---------------------------------|---|---|
| 112051 | FIGURE NO. | P | 7 | 7 | 7 | 7 | 7 | 7 | 7 | _ |
| (9) DEPOT | LW PE | 0 | 0 | | 20 | 0 | 20 | 20 | ľ. | 9 |
| (6) 1 Y- ALW PER | 100 , EQUIP CNTGCY | 20 | 50 | 20 | 50 | 50 | 20 | 50 | - | 50 |
| | (c) | 9 | 9 | v | Q | 9 | v | 9 | * | 9 |
| (7) 30-DAY GS MAINT ALLOWANG | (p) 51-50 | m | 5 | Μ | М | M | М | M | * | М |
| 30-DA | (4) | 2 | 2 | ~ | 2 | 2 | 7 | 2 | * | 2 |
| IAINT | (c) \$1-100 | | | | | | | | | |
| (6) 30-DAY DS MAINT | (b) 21.50 | | | | | | | | | |
| | 1 1 | | | | | | | | | |
| <u>s</u> { | UNIT UNIT | | _ | | _ | | | - | | _ |
| € ! | OF MEAS | ea a | 63 | 69 | 69 | 69 | o O | O O | e e | 69 |
| (6) | DESCRIPTION Reference Number & Mfr. Code Usable on Code | VALVE, EXHAUST 465-0118 (78385) | SPRING 425-0124 (78385) | SPRING, HELICAL COMPRESSION 3260161 (78385) | WASHER, SPRING 448-0483 (78385) | PACKING, PREFORMED syn rubber, 1.171 in. id, 1.449 od x 0.139 thk MS29561-217 (96906) | CYLINDER CAP AND RUPTURE DISC ASSEMBLY SECOND STAGE 4408-0054 (78385) | CAP CYLINDER 3260159 (78385) | ELBOW, TUBE aluminum, u/w 3/8 od tube thd male, 9/16-18, 1-43/64 and 13/16 in. leg 1g, 45 degree AN837-6D (88044) | CYLINDER AND PISTON ASSEMBLY SECOND STAGE 4421-0021 (78385) |
| (2) | FEDERAL STOCK NUMBER | 1040–906–7905 | 1040-906-7906 | 5340-989-6775 | 5330-999-0478 | 5330-988-8808 | 1040-921-5294 | 4310-979-9281 | 4730-186-9997 | 4730–979–9296 |
| ε | SMR CODE | PH | 1 1 1 | P4 | PH | PH | PH | PH | PH | PH |

| | MATION ITEM | Z0 . | | _ | 7 | М | 4 | Ŋ |
|------|--|--------------------------------|-------------|--|--|--|--|--|
| (10) | (a) FICURE | NO. | 80 | ω | œ | 6 0 | 60 | 60 |
| (6) | MAINT LOS 100 | EGUIP | | REF | REF | A 교 | | REF |
| (8) | ALW PER 1 | CNICO | 1100 110000 | REF | m m | Д Н | | R F |
| 1 | 0 | | | REF | REF | REF | | A F |
| E | 30-DAY GS MAINT ALLOWANC (a) (b) (c) 1-20 21-50 51-10 | | | R F | REF | <u> </u> | | REF |
| ļ | | | | REF | REF | RE F | | REF |
| | 30-DAY DS MAINT ALLOWANGE (a) (b) (c) 1 20 21-50 51-100 | | | | | | ······································ | |
| 9 | (a) (b) (b) (a) 20 21-50 | | | | | | | |
| (5) | OLY INC IN (a) UNIT 1 2 | | | — | | | · | |
| € | UNIT O | | | o O | හ 0 | ro O | · | က ဗ |
| (3) | DESCRIPTION Reference Number & Mfr. Code | 50 EA BEARING, NEEDLE Q8279 | FIRST STAGE | ELBOW, TUBE aluminum alloy, u/w 3/8 od tube, bulkhead style thd male, 9/16-18, 1-51/64 and 1-5/64 in. leg lg, 90 degree AN833-6D (88044) | LOCKNUT, TUBE FITTING aluminum, 3/8 od tube size, 9/16-18 thd AN6289D6 (88044) | WASHER, NONMETALLIC leather, 1/4 od, 0.136 id, 0.94 in. thk MS28777-6 (96906) | I EA GASKET tube fitting 130A457 | NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, No. 10-32 MS20364-1032A (96906) |
| (2) | FEDERAL STOCK NUMBER | | | PH 4730-197-2916 | 4730–277–5083 | 5330-186-1295 | | 5310-596-7957 |
| € | SMR | | | P-#- | P-H-H | PH | | P + + + + + + + + + + + + + + + + + + + |

| TRATION (b) CITEM NO. | 9 | ^ | ∞ | 6 | 0 | *** | 2 | <u>~</u> |
|--|---|---|---|---|---|--------------------------------|--|-------------------------------|
| (10) ILLUSTRATION (1) PICAR (b) NO. NO. | 80 | œ | ∞ | σ | \omega | 80 | 65 | æ |
| (9) DEPOT MAINT UW PER 100 EQUIP | 40 | R H T | <u>e</u> | 0 | 2 | 0 | <u>o</u> | 0_ |
| (8) 1 Y- 1 ALW PER 1 100 / EQUIP CNTGCY | - | REF | _ | 75 | 75 | 75 | 75 | 75 |
| | * | REF | * | ω | ω | 00 | ω | ω |
| 30-DAY GS MAINT ALLOWANG (a) (b) (c) | * | REF | * | 4 | 4 | 4 | 4 | 4 |
| | * | A T | * | 2 | 7 | 2 | 8 | 2 |
| (a) (b) (c) (c) (d) (d) (d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| (6) 30-DAY DS N ALLOWAN (a) (b) 1 20 21-50 | | | <u> </u> | | | | | |
| (5) 3 OTY INC IN 1 | 4 | 4 | | | - | | | |
| (4) UNIT OF MEAS | 69 | 60 | ල ම | ea | 0 0 | e a | ю Ю | e a |
| (3) DESCRIPTION Reference Number & Mfr. Code | SCREW, MACHINE sti pltd, No. 10-24 x 1.250 in. 1g MS35206-268 (96906) | WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906) | WASHER, FLAT rd, aluminum alloy, No. 10 screw size, 0.438 in. dia AN960PDIO (88044) | CYLINDER HEAD COMPRESSOR 3260135 (78385) | PACKING, PREFORMED syn rubber, 1.424 in. id, 1.630 in. od, 0.103 in. h MS29561-127 (96906) | STOP, VALVE 3260147 (78385) | SPRING HELICAL COMPRESSION 4-1/2 active coils, .380 free length, .035 dia material 3800196 (78385) | VALVE, EXHAUST first stage |
| (2) FEDERAL STOCK NUMBER | 5305-984-6215 | 5310-576-5752 | 5310-183-4406 | 4310-790-0954 | 5330-999-0677 | 4310-979-9294 | 5340-989-6776 | 4310-979-9289 |
| (1) SMR CODE | PH | -H | | PH | <u> </u> | PH | - H - H - H | PH |

| | O) (b) rtem No. | 4 | 7 | 9 | 71 | <u>ω</u> | 61 | 20 | 21 | 22 |
|---|---|---------------|---|---|--|--|--|---|---|---|
| | (10) ILLUSTRATION (a) (b) FIGURE ITEM NO. NO. | l | 80 | ∞ | ∞ | ω | ∞ | 6 0 | ∞ | 6 0 |
| | DEPOT II MAINT ALW PER FT | - | <u>o</u> | 2 | 2 | 0_ | Ä | 2 | 8 | |
| | (8) 1 Y. D ALW PER M 100 EQUIP CNTGCY E | 22 | 75 | 75 | 75 | 25 | REF | 75 | 75 | <u>, w</u> |
| | | 8 | ω | ω | ω | M | REF | ® | ∞ | |
| | 30-DAY GS MAINT ALLOWANC (*) (b) (c) 1-20 21-50 51-100 | 4 | 4 | 4 | ₵. | . 7 | REF | 4 | 4 | , , , , , , , , , , , , , , , , , , , |
| | | 2 | 7 | 8 | ~ | | REF | 2 | 8 | |
| | CE (c) (c) 51-100 | | | | | | | | | |
| : | 30-DAY DS MAINT ALLOWANGE (a) (b) (c) 1 20 21-50 51-100 | | | | | | | | | |
| · | | | | | | | | | | |
| | OTT INC IN | **** | | | | | 4 | | 7 | |
| | (4) UNIT OF MEAS | 69 | 63 | - G3 | 69 | 69 | 60 | 80 | 8 | |
| | (3) DESCRIPTION Reference Number & Mfr. Code Usable on Code | | VALVE, INTAKE, FIRST STAGE 3260164 (78385) | SPRING, INTAKE VALVE, FIRST STAGE 3260165 (78385) | PACKING, PREFORMED syn rubber, 2.359 in. id, 2.637 in. od, 0.139 in. h MS29561-229 (96906) | SCREW, CAP, HEXAGON HEAD cres, No. 10-32, 2,250 in. 1g 8599621-330 (99974) | NUT, SELF-LOCKING HEXAGON sti pitd, 1/4-20 | PIN, PISTON sti, 1.921 in. lg, 0.3752 in. od, 0.250 in. id 3260142 (78385) | RING, RETAINING cres, int application, 0.415 in. od 0.025 in. thk MS16625-4037 (96906) | 2 EA GASKET 3260144 |
| | (2) FEDERAL STOCK NUMBER | 4310-979-9288 | 4310-979-9287 | 4310-986-7767 | 5330-727-2240 | 5305-806-1800 | 5310-550-9449 | 4310-727-3736 | -H 5340-804-6855 | , |
| | (1) SMR CODE | PH | P. H. | -H | <u>+</u> | PH | 4 | 1 | 4 | |

. "

| š | _ ₹ . | - N | <t< th=""><th>10</th><th></th><th></th><th>2</th><th></th><th></th><th></th></t<> | 10 | | | 2 | | | |
|-------------------------------------|---|---------------------------|--|---|-----------------------------------|---|--|--|----------------------------|-----------------------------------|
| (10) ILLUSTRATION | (a) (b) FIGRE ITEM NO. NO. | | 24 | 25 | | | | M | 4 | |
| <u> </u> | 3 5 8 | 60 | | ∞ | <u> </u> | <u>o</u> , | <u> </u> | 6 | <u> </u> | 6 |
| (9) DEPOT MAINT | ACW PE 100 EQUIP | Φ | 9 | 0 | | REF | <u> </u> | 40 | 7 | |
| (8) 1 Y- 1 ALW PER | EQUIP CONTGCY | | 75 | _ | | REF | | | | |
| FAINT | (c) 51-100 | * | ω | * | | REF | * | * | * | |
| (7) 30-DAY GS MAINT ALLOWANG | (b) 21.50 | * | 4 | * | | ZEF | * | * | * | |
| 30-DA | | * | 2 | * | | REF | * | * | * | |
| [AIN] | (c) 51-100 | | | | | | | | | |
| (6) 30-DAY DS MAINT ALLOWANCE | (b) 21-50 | | | | | | | | | |
| 30-DA | (a) | | | | | | | | | |
| (5) | INC IN UNIT | | | | | φ | | 4 | _ | |
| (4) | OF MEAS | eg | e o | Ø 0 | | ee | 69 | 69 | e G | |
| (S) | Reference Number & Mír. Code Usable on Gode | GASKET 3260143 (78385) | CYLINDER AND PISTON ASSEMBLY 3260139 (78385) | PIN, SHOULDER, HEADED cres, button hd, 2 stops, 3/8 in. o/a lg 3260153 (78385) | ENDBELL, CONNECTING ROD AND SHAFT | NUT, SELF-LOCKING HEXAGON stl, 1/4-20 MSS5310-6 (08288) | PLATE, IDENTIFICATION 3260299 (78385) | SCREW, DRIVE st! pltd, rd hd, No. 2 size, 1/8 in. lg MS21318-13 (96906) | ENDBELL 3260281 (78385) | I EA GASKET endbell 3260188 |
| (2) | FEDERAL STOCK NUMBER | 4310-788-0907 | 4310-790-0985 | 5315-727-1636 | | 5310-550-9449 | 1040-076-8849 | 5305-253-5609 | 1040-759-9767 | |
| ε | SMR | P H H | + | | | H-H- | PH- | | PH | |

| 200 | (b) ITEM NO. | 9 | ^ | 7 | ω | ω | 6 | 0_ | = | |
|------------------------|---|--|---|---|---------------------------|-------------------------------|--|--|---|--|
| (10) | F(a) | 6 | σ. | Ø. | Q, | 6 | 6 | 0 | 6 | |
| (9) DEPOT | MAINT ALW PEI 100 EQUIP | | 20 | 20 | N | Ŋ | Ŋ | Ŋ | 20 | |
| (8) 1-YR | ALW PER 100 EQUIP CNTGCY | 50 | | | _ | | | 4 | | |
| IAINT | (c) 51-100 | 9 | * | * | * | * | * | * | * | |
| (7) AY GS M | (a) (b) (c) 1-20 21-50 51-100 | 23 | * | * | * | * | * | * | * | |
| | | 2 | * | * | * | * | * | * | * | |
| (6) 30-day ds maint | NCE (c) 51-100 | | | | | | | | | |
| (6) DAY DS | (b) 21-50 | | | ·· | | | | | | |
| | | | | | | | . | | | |
| S) | I OTY INC IN | | | _ | | | | | | |
| € | OF OF MEAS | 8 | 8 0 | ea | eg | ea ea | 69 | eg . | Ф Ф | |
| (6) | DESCRIPTION Reference Number & Mfr. Gode Usable on Gode | SEAL, PLAIN ENCASED 1.499 in. bore dia, .938 shaff dia 1483006 (80201) | BEARING, BALL, ANNULAR single row, radial, 25 mm bore, 47 mm od, 12 mm thickness 614-0014 (78385) | BEARING BALL, ANNULAR 03L05X3A (43334) | SHAFT 412-0093 (78385) | CRANKSHAFT 3260123 (78385) | PLATE, RETAINER master rod 3260127-(78385) | PIN, STRAIGHT, HEADLESS stl, 0.340 in. lg, 0.250 in. dia 3260168 (57733) | BEARING, BALL, ANNULAR single row, radial, 30 mm bore, 55 mm od, 15 mm wide 614-0015 (78385) | |
| (2) | FEDERAL STOCK NUMBER | 5330-993-0084 | 3110-902-3398 | 3110-100-2394 | 1040-906-7902 | 4310-992-5746 | 1040-759-3895 | 5315-788-5372 | 3110-902-3397 | |
| (1) | SMR | PH- | | - L | P - H | | | P-H | -H | |

| Z O | _ <u> </u> | - | 2 | 2 | 4 | S | V O | |
|----------------------|---|--|-----------------------------------|--|--|---|------------------------------|---|
| (10) ILLUSTRATION | RE ITEM | <u>-</u> | <u>-</u> | 6 | 6 | <u>6</u> | 9 | |
| | | | | | | U\ | σ, | |
| DEPOT | MALNI ALW PER 100 EQUIP | 70 | 36 | 40 | 40 | | 7 | 001 |
| (8) | EQUIP CNTGCY | | | | | | | 20 |
| S MAINT | | * | * | * | * | * | * | φ |
| E 83 | (b) 21-50 | * | * | * | * | * | * | W |
| (7) 30-DAY GS | (a) 1-20 | * | * | * | * | * | * | N |
| MAINT | (c) 51-100 | | | | | | | |
| ទូន | (b) 21 -50 | | | | | *************************************** | | |
| 30-DAY | (a) 1 20 | | | | | | | |
| (5) | OTY INC IN UNIT | | 80 | 4 | 4 | | | austi |
| (4) | OF OF MEAS | еа | ea | မ | ө | | e D | N O |
| . (6) | DESCRIPTION Reference Number & Mfr. Code Usable on Code | BEARING, BALL, ANNULAR 03L06X3A (43334) | SHEAR BOLT MS35206-242 (96906) | BOLT, MACHINE hex hd, stl, 5/16-24 x 3/4 in. lg MS35292-32 (96906) | WASHER, LOCK stl pltd, split helical ring, 5/16 in. bolt size MS35337-26 (96906) | SPACER, COMPRESSOR DRIVE PAD manufactured from aluminum alloy sheet, .090 thickness Type 6061-0 QQ-A-250/11 FSN 9535-232-0321 | CRANKCASE 3260220 (78385) | SEAL, PLAIN ENCASED 1.062in. shaft dia bore, dia 1.499 1481206 (80201) |
| (2) | FEDERAL STOCK NUMBER | 3110-227-3181 | 5305-889-3002 | PH 5306-559-0474 | 5310-012-0379 | | 2805-759-3894 | \$330-993-008\$ |
| ε | SMR | PH | PH- | P | P H + | H | Р Н | 9 ++ |

| S) | E Z | 8 - | 8 | | ***** | 7 | M | 4 | ſΛ | Q |
|------------------------|--|--|---|---------------------------------------|--|--|---|--|---|------------------------------------|
| ShTII | FIGE | 6 | 6 | 0 | <u>o</u> | <u>o</u> | 0 | 0 | <u>o</u> | 9 |
| (9) DEPOT | ALW PER | IU. | Ŋ | | 0- | REF | 2 | 8 | 140 | Ŋ |
| (B) | FOULP FOULP | | _ | | **** | REF | Cant | 50 | | |
| | 9 | * | * | | * | REF | * | * | * | * |
| 30-DAY GS MAINT | (b) 21-50 | * | * | | * | RE F | * | * | * | * |
| | | * | * | | * | REF | * | * | * | * |
| (6) 30-DAY DS MAINT | 51 - 100 51 - 100 | | | | | | * | Q | | |
| (6) AY DS) | (b) 21-50 | | | | | | * | М | | |
| 30-0 | 2 7 | | | · · · · · · · · · · · · · · · · · · · | | - 1.W | * | 2 | | |
| (5) | UNI C | _ | - | | - | 5 | | _ | 4 | |
| (*) | OF | e e | 0 | | о О | ea 2 | 9 0 | O O | о Ф | ea a |
| (3) DESCRIPTION | Reference Number & Mfr. Code Uable on Code | ROD ASSEMBLY MASTER 4417-0013 (78385) | CONNECTING ROD ASSEMBLY 3260240 (78385) | OIL RESERVOIR AND BREATHER | BREATHER ASSEMBLY 4455-0017 (78385) | NUT, SELF-LOCKING HEXAGON stl cad pltd, nylon insert, No. 10-32 MS203641032A (96906) | PLUG, MACHINE THREAD aluminum alloy, 5/8 in. o/a lg, 1/2-20 thd AN814-5D (88044) | PACKING, PREFORMED syn rubber, 0.412 in. id, 0.552 in. od, 0.070 in. h 130A0456 (78385) | SCREw, MACHINE pan hd, sti pltd, No. 10-24 x .625 in. 1g MS35206-264 (96906) | RESERVOIR, 01L 457-0023 (78385) |
| (2) FEDERAL | NUMBER | 4310-906-1008 | 4310-980-0664 | | PH 1040-921-5301 | 5310-596-7957 | PF 4730-287-0092 | 5330–582–7289 | 5305-984-6211 | 1040-9215296 |
| SMR | agon | PH | PH | | PH | PH | - L | PF5 | PH 5 | PH |

| (a) | NO. | 7 | ω | 0 | 0 | esement Todas | 2 | <u>5</u> | 4 | 5 | 9 |
|-------------------------------------|---|---|---|--|----------------------------------|---|--|------------------------------|---|--------------------------------|---|
| (10) ILLUSTRATION (3) (b) | FIGURE ITEM NO. NO. | 2 | 0 | <u>o</u> | <u>°</u> | 0 | 0 | <u>o</u> | 0 | 0 | 0 |
| (9) DEPOT MAINT | EQUIP | 0. | | | | 20 | | | | | |
| (8) 1 Y- ALW PER 1 | CNTGCY | | | | | - | | | | | |
| AINT | 51-100 | * | | | | ж | | | | | |
| CS X | 21-50 | * | | | | * | | | | | |
| 30-DAY GS MAINT ALLOWANG | 02-1 | * | | | | * | | | | | |
| | | * | | | | | , 1811 | | | | |
| (6) 30-DAY DS MAINT ALLOWANCE | 21-50 | * | | | | | | | | | |
| 30-DA | 1 20 | * | | | | • | | | | | |
| OTY | LIND | ****** | | | , | 7 | | | | | |
| (£) | MEAS | ea | | | | o O | | | | | |
| (3) DESCRIPTION | Reference Number & Mfr. Code Usable on Code | PLUG, SIGHT OIL LEVEL 628-0041 (78385) | i EA GASKET, OIL RESERVOIR 3260267 (78385) | 1 EA PACKING, PREFORMED MS29561-013 (96906) | I EA CYLINDER 3260566 (78385) | SCREW, MACHINE stiplid, fillister hd, drilled No. 10-32, 1/2 in. lg MS35266-63 (96906) | i EA SOCKET, MASTER ROD 3260556 (78385) | 2 EA SHIM 3260265 (78385) | I EA PISTON ASSEMBLY 3260569 (78385) | I EA BALL MS1343\$5 (96906) | 1 EA RETAINER, BALL 448-0480 (78385) |
| (2) FEDERAL | STOCK NUMBER | 1040-921-5295 | | | | 5305-614-0246 | | | | | |
| (1) SMR | CODE | PF | | | | 9 1 1 | | | | | |

| O) RATION: (b) ITEM | <u>, 7</u> | | 36° · · · · | | | 2 | М | 4 | 2 | 9 | |
|---|--|------------------|--|--------------------------------------|---------------------------------------|---|---|---|-----------------------------------|-------------------------------|---|
| (a) FIGURE | oğ <u>O</u> | | ****** | - | *** | <u>-</u> | | - | | _ | |
| (9) DEPOT MAINT ALW PER | FOUL | | • • | | 20 | 0 | 20 | REF | 20 | 4 | |
| (8) 1 Y - ALW PER 100 2001P | 7007 7007 7007 7007 | | | | | • | **** | REF | | <u></u> | |
| (7) Y GS MAINT LOWANC (b) (c) 21-50 51-100 | | | | | * | * | * | Æ | * | * | |
| | | | | | * | * | * | REF | * | * | |
| | | | | | * | * | * | REF | * | * | |
| MAINT NCE (c) | 4 | | | | | ··· | | | | | |
| 30-DAY DS MAINT ALLOWANCE (a) (b) (c) | | | | | | | . modureados es susua | | | | |
| 1 1 | | | | | 7 | | <u> </u> | | | | |
| IT QTY F INC IN | | | | | | | | - 5 | | | |
| (4) UNIT OF MEAS | | | | >- | e e | Ø O | O O | 6 | e | G | |
| (3) DESCRIPTION | 1 EA RETAINER, PISTON 3260266 (78385) | GROUP 400-ENGINE | ENGINE AND MOUNTING BRACKET SECTION | ENGINE AND MOUNTING BRACKET ASSEMBLY | SCREW, MACHINE MS35275-265 (96906) | PIPE, EXHAUST C68-13-1572 (81361) | WASHER, LOCK cres, flat int teeth, No. 10 bolt size MS35333-73 (96906) | NUT, PLAIN, HEXAGON cres, No. 10-32 MS35650-104 (96906) | ENGINE, GAS 1-A0-8-111 (88408) | PULLEY B68-13-1532 (81361) | |
| (2) FEDERAL STOCK NUMBER | | | | | 5305-939-9190 | 2990-972-2318 | 5310-543-5933 | PH 5310-270-8810 | PH-S 2805-068-7510 | 5020-971-1366 | - |
| SMR CODE | | | | A | - H | P - H - H - H - H - H - H - H - H - H - | P-H- | PH | PH-S | PH | |

| O) | (e) ITEM NO. | 7 | Φ | 0, | 0 | ****** | | | 7 | m |
|------------------------|---------------------------------|--|---|---|--|--|----------------------------|---|---|---|
| (10) 111.USTRATION | | | | = | | - | 12 | 2 | 2 | 2 |
| (9) DEPOT | KAINT LW PER 100 EQUIP | 80 | 80 | 80 | 120 | 0 | | RF | Ŋ | REF |
| (8) 1 Y- | EDUIP CNTGCY | • | | | **** | - | | REF | **** | REF |
| (7) 30-DAY GS MAINT | (c) 51-100 | * | * | * | * | * | | REF | * | REF |
| (7) AY GS 1 | (b) 21-50 | * | * | * | * | * | | REF | * | REF |
| 30-0 | | * | * | * | * | * | | A. | * | RE F |
| MAINT | (c) 51-100 | | | | | | | REF | * | RE F |
| (6) 30-DAY DS MAINT | (b) 21-50 | | | | | | | RE F | * | REF |
| | 1 | | | | | | | REF | * | REF |
| | N LING | 80 | | 7 | 2 | 7 | | | _ | |
| (+) | OF MEAS | e 0 | ტ დ | e O | 6 | e G | | 6 | es es | e a |
| (E) | | SCREW, CAP HEXAGON HEAD stl pitd, 1/4-20, 0.500 in. lg MS90725-3 (96906) | WASHER, LOCK stl pltd, l/4 in. id, external teeth MS35335-13 (96906) | BRACKET, ANGLE, RIGHT HAND B68-13-1541 (81361) | BOLT, SELF-LOCKING 1/4-20 x 3/4 ig A68-13-1528 (81361) | BRACKET, ANGLE, LEFT HAND B68-13-1540 (81361) | ENGINE ACCESSORIES SECTION | SCREW, MACHINE stl pitd, No. 10-32 x .437 in. 1g MS35226-62 (96906) | CLAMP, LOOP sti pitd, syn rubber cushion, 0.500 in. wide, 0.250 in. loop id MS21333-67 (96906) | WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906) |
| (2) FEDERAL | STOCK NUMBER | 5305-068-0500 | 5310 -209-07 86 | PH 1040-971-4921 | 5306-064-8407 | 1040-971-4920 | | 5305-043-6749 | 5340-079-7837 | 5310-576-5752 |
| (1) | CODE | PH- | d. | PH | P-H- | PH | | P | д Н | P - F - |

| Γ | Z Z | . 4 | rv. | 9 | 7 | | 0 | 0 |
|------------------------|---|--------------------------------|---|--|--|---|---------------------------|--|
| (10) | (a) (b) | 2 | -11 | | | | | |
| | | . Z | 2 | | 2 | - 12 | 12 | 2 |
| (9) | MAINT ALW PER | 01 | 12 | ſΩ. | ر ا | | 20 | |
| (8) | ALW PER 100 EQUIP | | 20 | 20 | | deres | - | _ |
| TAIA | C (c) 51-100 | * | * | * | * | * | * | ж |
| (7) 30-DAY GS MAINT | (b) 21-50 | * | * | * | * | * | * | * |
| 30-04 | (a) 1 - 20 | * | * | * | * | * | * | * |
| AUNT | (c) 51-100 | * | M | | * | * | * | * |
| (6) Y DS M | (a) (b) (c) 1-20 21-50 51-10 | * | 0 | 7 | * | * | * | * |
| 1 | - [| * | - | | * | * | * | * |
| (5) | N C C C C C C C C C C C C C C C C C C C | _ | - | | **** | <u>,</u> | *** | |
| ₹ | OF OF MEAS | еэ | ю Ф | e a | ဇၶ | 6 0 | e G | 0 0 |
| (1) | Reference Number & Mfr. Code Uaable on Code | HEXAGON 1. 10-32 (96906) | PACKING, PREFORMED syn rubber, 0.468 in. id, 0.624 in. od, 0.078 in. thickness MS29512-6 (96906) | CONNECTOR AND FILTER FUEL B68-13-1566 (81361) | TUBE ASSEMBLY, METAL copper 1/4 od, female connectors 803831 (33525) | COCK, SHUTOFF screw stem 628—0015 (78385) | ELBOW 500592 (10001) A | ELBOW, PIPE brass, female and male ends, 1/8-27, 90 degree 11681-81N (30327) B |
| (2) FEDERAL | STOCK NUMBER | 5310-934-9751 | 5330-263-8030 | 1040-084-0436 | 4720-062-4332 | 4820-254-8640 | 1040-921-5297 | 4730-639-9730 |
| (I) | CODE | P F | P F | PF | PF | P - F - | PF | PF- |

| | z z | | · · · · · | | | | | |
|------|--|----------------------------------|---|--|--|--|---|------|
| (10) | (a) (b) FIGURE ITEM NO. NO. | | | | M | 4 | r. | |
| | | N | <u> </u> | <u> </u> | <u>5</u> | ñ | 2 | |
| (9) | AAINT LW PE 100 EQUIP | | 7 | 9 | REF | 80 | 800 | |
| (8) | ALW PER D | | - | | REF | - | 350 | |
| FWIA | (c) 51-100 | | * | * | REF | * | * | |
| (2) | (a) (b) (c) 1-20 21-50 51-100 | | * | * | REF | * | * | |
| 200 | (a) 1-20 | | * | * | REF | * | * | |
| 1.10 | (c) (c) 51-100 | | | | REF | * | 33 | |
| (9) | ALLOWANCE (a) (b) (c) 1-20 21-50 51-10 | | | | R F F | * | <u></u> | |
| 200 | l i | | | | REF | * | ∞ | |
| (5) | OTY INC IN UNIT | | Pies | Parq | ın | 0 | 8 | |
| (4) | UNIT OF MEAS | | ea | ea | ea | 6 | 6 | |
| [3] | DESCRIPTION Reference Number & Mfr. Code | GROUP 500-FRAME AND FUEL TANK | CAGE, PROTECTING E68-13-1587 (81361) | PLATE, INSTRUCTION operating 4340233 (78385) | SCREW, MACHINE st! pitd, No. 10 x 32 x .437 in. lg MS35226-62 (96906) | WASHER, FLAT stl pltd, No. 10 screw size MS27183-8 (96906) | WASHER, NONMETALLIC syn rubber, 0.620 in. od, 0.190 in. id, 0.060 in. thk 448-0507 (78385) | |
| (2) | FEDERAL STOCK NUMBER | | 1040-921-5291 | 1040-763-3254 | 5305-043-6749 | 5310-809-8546 | 5330-999-0462 | |
| (1) | SMR | | PH | PH | PF | PF | PF | |

| | <u> </u> | | | | | | | |
|------------------------|---|---|--|---|---|---|---|--|
| (10) | NEW NO. | v o | | ω | èν | σ, | <u> </u> | |
| | | E | E | ₽ | <u> </u> | 13 | <u>r</u> | 5 |
| (9) DEPOT | MAINT ALW PER 100 ECUIP | 20 | REF | in . | Ю | М | REF | ľ |
| (8) 1-Y3 | ALW PER 100 EQUIP CNTGCY | | REF | _ | | - | REF | 25 |
| AINT | | * | REF | * | * | * | REF | * |
| (3) M | (b) 21-50 | * | REF | * | * | * | REF | * |
| (7) 30-DAY GS MAINT | (a) 1-20 | * | REF | * | * | * | REF | * |
| | | * | REF F | * | * | * | X. F. | M |
| (6) 30-DAY DS MAINT | (b) 21.50 | * | REF | * | * | * | REF | 2 |
| 30-DA3 | (a) 1-20 | * | REF | * | * | * | REF F | **** |
| | YLON NI TIND | 4 | ľ | • | | *** | 4 | |
| | UNIT OF I | ea | eg G | 69 | eg G | 63 | 6 | 6 |
| (c) | DESCRIPTION Reference Number & Mfr, Code Usable on Code | CLAMP, LOOP stl, rubber cushion, 0.375 in. wide, 0.500 in. loop id MSZ1919F8 (96906) | NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, No. 10-32 MS20364-1032A (96906) | CLAMP, LOOP stl, rubber cushion, 0.375 in. w, 0.625 in. loop id MS21919F10 (96906) A | TANK, FUEL, ENGINE 4457-0016 (78385) | FUEL TANK ASSEMBLY 4457-0010 (78385) | NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, 1/4- 28 MS21044-N4 (96906) | PACKING, PREFORMED syn rubber, 0.644 in. id, 0.718 in. od, 0.087 in. high thickness MS29512-08 (96906) |
| (z) | FEDERAL STOCK NUMBER | 5340-282-8335 | 5310-596-7957 | 5340-597-9408 | 2910-912-9485 | 1040-994-7985 | 5310-877-5796 | 5330-263-8031 |
| (1) | SMR | <u> </u> | 1 | PF- | PF | Pi-F- | PF | - H |

|)) ZATION | NO. | 12 | 5 | 4 | <u> </u> | 5 | 91 | 7 | 8 | <u>6</u> |
|------------------------|--|---|---|--|--|--|--|--|---|------------------------------|
| (10) ILLUSTRATION | R (a) FIGHE I | € | 5 | <u>n</u> | ñ | <u>~</u> | 2 | <u>n</u> | <u>5</u> | 13 |
| (9) DEPOI | ALW PE | Ŋ | 7 | 04 | ŗ. | Ŋ | REF | 40 | 40 | 12 |
| (8) | ALW PER 100 EQUIP CNTGCY | - | | | _ | _ | REF | | _ | 20 |
| | (c) (c) 51 - 100 | * | * | * | * | * | REF | * | * | 9 |
| (7) 30-DAY GS MAINT | (b) (c) 21-50 | * | * | * | * | * | REF | * | * | М |
| 30-DA | (a) 1-20 | * | * | * | * | * | REF | * | * | 2 |
| LAINT | (c) 51-100 | | | | | | | | | |
| (6) 30-DAY DS MAINT | (b) 21-50 | | | | | | | | | |
| | 1 | | | | | | | | | |
| <u>6</u> | DOTY INC IN UNIT | | | 4 | | | 4 | 4 | 4 | 4 |
| | UNIT OF MEAS | еа | 69 | e O | 9 | Φ O | O · | ea | ea ———————————————————————————————————— | ea |
| (5) | DESCRIPTION Description Usable on Code | PLUG, MACHINE THREAD aluminum, 0.730 in. o/a 1g, 3/4-16 MS9015-08 (96906) | FRAME, ENGINE MOUNTING 4407-0058 (78385) | RIVET, BLIND aluminum alloy, oval hd 3/32 in. dia shank, 3/32 in. lg 648-0042-1 (78385) | PLATE IDENTIFICATION 434-0230 (78385) | PLATE IDENTIFICATION 434-0167 (78385) B | NUT, SELF-LOCKING HEXAGON cres, 1/4-28 MS21045-4 (96906) | SCREW, MACHINE stl pitd, pan hd, 1/4 in28, 1 in. 19 MS35207-283 (96906) | WASHER, FLAT stl pltd, 0.276 in. id MS9320-10 (96906) | MOUNT, RUBBER A68-13-1523 |
| (2) | FEDERAL STOCK NUMBER | 4730-289-3070 | 040-921-5298 | 5320-999-0397 | 4310-666-0124 | 1040-081-8079 | 5310-061-7325 | 5305-993-2459 | PH 5310-194-0637 | PH 5340-977-7247 |
| (3) | SMR | PF | PH | PH | PH | PH | - d | Hd | H d | P-H-H |

| | (b) (TEM NO. | 20. | 7 | 22 | 23 | 24 | 25 | 26 |
|------------------------|---|---|---|---|---|--|--|-------------------------------------|
| (10) | (a) (b) FIGURE (TEM | 5 | n | \$7 | P | <u>n</u> | <u> </u> | 5 |
| (9) DEPOT | MAINT LOO EQUIP | 40 | A-1988 6- | ľV | a/r | in. | Ŋ | Ŋ |
| (8) 1 | ALW PER 100 EQUIP CNTGCY | _ | *************************************** | - There | a/r | 20 | | |
| | - 0 | * | * | * | a/r | * | * | * |
| (7) 30-DAY GS MAINT | ALLOWANG (b) 20 21-50 | * | * | * | a/r | * | * | * |
| 30-DA | (a) | * | * | * | a/r | * | * | * |
| AINT | (c) \$1-100 | * | * | * | a/r | n | * | * |
| (6) 30-DAY DS MAINT | ALLOWANC (b) (b) | * | * | * | a/r | 2 | * | * |
| I | | * | * | * | a/r | | * | * |
| (5) | NC INC INC IN | 4 | 4 | - | _ | | | |
| £ | UNIT OF MEAS | ea | | O O | o O | 6 | Φ Ø | ea |
| (3) | DESCRIPTION Reference Number & Mfr. Code Usable on Code | SCREW, CAP, HEXAGON HEAD stl pitd, 1/4-28 x .750 in. lg MS90726-7 (96906) | BRACKET MOUNTING FUEL TANK 2.125 in. 1g x .750 in. w x .078 thickness 407-0271 (78385) manufactured from stainless steel Class 2D FSN 9515-204-4555 | HOOK, CHAIN, S cres A81-1-882 (81361) | CHAIN, WELDLESS stl, 0.062 in. dia stock, 23 links per ft, Type 2, Class 7 MIL-C-271 (81349) | PACKING, PREFORMED syn rubber, 1.234 in. id, 1.612 in. od, 0.139 in. thk MS29513-218 (96906) | HOOK, CHAIN 0.072 wire, 3/8 in. id, loops 3/16 in. min. opening B81-1-526 (81361) | CAP ASSEMBLY B68-13-1560 (81361) |
| (2) | FEDERAL STOCK NUMBER | 5305-068-0507 | | 4030-956-6126 | 4010-958-0633 | 5330-265-1075 | 4030-063-3979 | PF 1040-976-8980 |
| ε | SMR | PF | MF | PF- | PF | P-F- | PF | PF |

| TION | (b) NO. | | 0 = 9 | - 1 0 | 1 | 777780 | |
|------------------------|---|---|--------------------------|---------------------------------------|--|--|--|
| (10) ILLUSTRATION | FICURE I | | 979 | 767 | 8860 | 99999 | |
| | MAINT ALW PER 100 EQUIP | 2 | | | | W | |
| (8) | ALW PER 1 | 001 | | | | 50 | |
| | -100 | | | | | Q | |
| (7) 30-DAY GS MAINT | ALLOWANC (b) (c) 20 21-50 51-100 | 9 | | · · · · · · · · · · · · · · · · · · · | | W | |
| 30-04 | (a) 1-20 | M | | | *************************************** | 2 | |
| TNL | (c) 51 -100 | * | - | | | * | |
| (6) 30-DAY DS MAINT | ALLOWANCE (b) (c) 21.50 51 | * | | , - 14 | | * | |
| 30-DA) | (a) 1 20 | * | | | | * | |
| (5) | YTO IN | | | • | | | |
| 3 | UNIT OF I | 90 | | | | (C) | |
| (6) | DESCRIPTION Reference Number & Mfr. Code Usable on Code | GROUP 600-REPAIR KITS KIT, GASKET, COMPRESSOR 4459-0093 (57733) | 4 EA GASKET, No. 130A457 | EA GASKET, NO. | I EA PACKING, MS29561-229 2 EA GASKET, NO. 3260144 I EA GASKET & BELL, NO. 3260188 I EA GASKET, NO. 3260267 | REPAIR KIT, CONNECTING LINK, THIRD STAGE 4459-0049 c/o 4 EA WASHER, No. 3260133 2 EAPIN, WRIST, No. 3260130 I EA PIN, COTTER, No. AN381-2-10 I EA PIN, COTTER, AN381-15-16 I EA LINK, CONNECTING, No. 3260129 50 EA BEARING, NEEDLE, No. Q8279 | |
| (2) | FEDERAL STOCK NUMBER | PH 1040-788-5374 | | | | 4310-979-9301 | |
| ε | SMR CODE | - H | | | | P | |

| | (E) ITEM | <u></u> | N 4 N 9 L 0 | | 9 12 13 13 14 15 17 | <u>.</u> | | <u>,</u> |
|-------------------|---|--|--|--|--|----------|------|-------------|
| (0.1.) | (a) (b) FIGHE ITEM | - - | | | 10 10 10 10 10 | | | |
| | MAINT ALW PER | | | 5 | | | ···· | |
| (8) | ALW PER M 109 AL EQUIP | 50 | *************************************** | 50 | | | | |
| | | 9 | | 9 | | | | |
| (7) GS MAI | (5) (c) 21-50 51-100 | W | | Μ. | | | | <u> </u> |
| 30-DAY | ALLO 1.20 ALLO | 17 | | 7 | | | | |
| - | 9 | | | | | | | |
| (6) Y DS MAINT | (L) | | | · · · · · · · · · · · · · · · · · · · | | i i | · | •. |
| 1 4 | 3 - S | | | ····· | · · · · · · · · · · · · · · · · · · · | | | |
| 3. | NC INC | | | | | | | |
| 3 | OF | ө В | V-1000 or | დ დ | 9 | | | |
| (5) | Reference Number & Mfr. Code Usable on Code | REPAIR CONNECTING LINK, GE 9-0048 (78385) | C/O 1 EA LINK, CONNECTING, No. 3260128 4 EA WASHER, No. 3260133 1 EA PIN, COTTER, AN381-15-16 2 EA PIN, WRIST, No. 3260130 1 EA PIN, COTTER, No. AN 381-2-10 50 EA BEARING NEEDLE, No. 08279 | KIT, REPAIR, OIL PUMP 4459-0047 (78385) | EA PACKING, No. MS29561-013 EA CYLINDER, No. 3260566 EA SOCKET, MASTER ROD, No. 3260556 EA SHIM, No. 3260265 EA PISTON ASSEMBLY, No. 3260569 EA BALL, No. MS134355 EA BALL, No. MS134355 EA RETAINER, BALL, No. 3260266 | | | |
| (2) FEDERAL | STOCK NUMBER | 4310-979-9300 | | 4310–979–9299 | | | | |
| (1) SMB | CODE | | | PH | | | , | |




Figure 1. Cover assembly.






Figure 2. Moisture separator.



MU-E-239-35P-3

Figure 3. Separator section.



Figure~4.~Fan, after cooler, and~basic~compressor.




Figure 5. Air intake filter.




Figure 6. Third stage.




Figure 7. Second stage.




Figure 8. First stage.




Figure 9. Endbell connecting rod and shaft.




Figure 10. Oil reservoir and breather.




Figure 11. Engine and mounting bracket.




Figure 12. Engine accessories.




Figure 13. Frame and fuel tank.

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
|---------------|------------|----------|---------------|------------|----------|
| 1040-076-8849 | 9 | 2 | 1040-906-7901 | 4 | 15 |
| 1040-081-8079 | 13 | 15 | 1040-906-7902 | 9 | 8 |
| 1040-083-2606 | 1 | 1 | 1040-906-7905 | 7 | 13 |
| 1040-083-2607 | 1 | 3 | 1040-906-7906 | 7 | 14 |
| 1040-083-2608 | İ | 9 | 1040-906-7909 | 4 | 16 |
| 1040-083-2614 | 1 | 7 | 1040-921-5291 | 13 | 1 |
| 1040-083-2617 | 3 | 5 | 1040-921-5294 | 7 | 17 |
| 1040-084-0436 | 12 | 6 | 1040-921-5295 | 10 | 7 |
| 1040-084-0438 | 2 | 16 | 1040-921-5296 | 10 | 6 |
| 1040-727-3731 | 4 | Н | 1040-921-5297 | 12 | 9 |
| 1040-759-3895 | 9 | 9 | 1040-921-5298 | 13 | 13 |
| 1040-759-9767 | 9 | 4 | 1040-921-5299 | 3 | 4 |
| 1040-763-3254 | 13 | 2 | 1040-921-5300 | 3 | 9 |
| 1040-764-5948 | 5 | 6 | 1040-921-5301 | 10 | 1 |
| 1040-764-5949 | 5 | 2 | 1040-971-4920 | 11 | EI |
| 1040-784-7455 | 4 | 12 | 1040-971-4921 | 11 | 9 |
| 1040-788-5373 | 4 | 4 | 1040-976-8980 | 13 | 26 |
| 1040-788-5374 | | - | 1040-994-7985 | 13 | 9 |
| 1040-863-7451 | I | 4 | 1270-733-1322 | 6 | 2 |
| 1040-906-7899 | 2 | 14 | | | - |
| | | | | | |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| 1 | | | | 2,0,12,116 | | |
|---|--|---------------|----------|---------------|------------|-------------|
| | Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
| | 1270-830-2836 | 3 6 | 3 3 | 4310-906-1008 | 9 | 18 |
| | 2805-068-7510 | 11 | 5 | 4310-979-9284 | 6 | 6 |
| | 2805-759-3894 | 9 | 16 | 4310-979-9287 | 8 | 15 |
| | 2910-912-9485 | 13 | 9 | 4310-979-9288 | 8 | 14 |
| | 2990-972-2318 | Ħ | 2 | 4310-979-9289 | 8 | 13 |
| | 3020-971-1366 3110-100-2394 | I <u>I</u> | 6 | 4310-979-9294 | 8 | 11 |
| | 3110-227-3181 | 9 9 | 7 11 | 4310-979-9295 | 6 | 22 |
| | 3110-902-3397 | 9 | 11 | 4310-979-9296 | 7 | 19 |
| | 3110-902-3398 | 9 | 7 | 4310-979-9299 | - | • |
| | 3120-993-0093 | 4 | 13 | 4310-979-9300 | ~ | - |
| | 4010-958-0633 | 13 | 23 | 4310-979-9301 | - | - |
| | 4020 - 233 - 6 5 55 | 1 | 8 | 4310-980-0664 | 9 3 | 13 1 |
| | 4030-063-3979 | 13 | 25 | 4310-981-7579 | 6 | 1 |
| | 4030-956-6126 | 13 | 22 | 4310-983-3072 | 4 | 5 |
| | 4310-727-3736 | 8 | 20 | 4310-983-3075 | 7 | 8 |
| | 4310-728-5126 | 4 | 3 | 4310-983-3076 | б | 7 |
| | 4310-788-0907 | 8 | 23 | 4310-986-7764 | 6 | 21 |
| | 4310-790-0954 | 8 | 9 | 4310-986-7766 | 4 | 14 |
| | 4310-790-0985 | 8 | 24 | 4310-986-7767 | 8 | 16 |
| | 4310-792-1491 | 5 | 1 | 4310-992-5746 | 9 | 8 |
| | | | | | | |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER Figure Item Figure Item No. Stock Number No. Stock Number No. No. 4730-197-2916 7 6 5305-614-3423 8 1 5305-806-1800 8 18 4730-231-3026 2 20 5305-842-5646 4 20 8 4730-277-5083 7 9 5305-899-3002 4 2 8 12 9 4730-277-6372 2 5305-939-9190 11 ı 4730-287-0092 10 3 5305-984-6211 5 10 12 4730-289-3070 13 5305-984-6215 8 б 4730-788-0902 2 8 5305-993-2459 13 17 4730-908-6292 2 15 5306-064-8407 \mathbf{H} 10 4730-977-7663 2 12 5306-559-0474 13 4730-979-9281 17 5306-754-1787 2 4 4730-979-9296 7 19 5306-879-2800 ı 2 4820-254-8640 12 8 5306-964-9603 9 4820-907-3448 2 13 5306-999-0488 17. 2 5305-043-6749 2 5310-012-0379 14 12 13 3 5310-012-1753 11 8 5305-068-0500 11 7 5310-061-7325 6 13 16 5305-068-0507 13 20 5310-183-4406 8 8 5305-253-5609 9 3 5310-194-0637 13 18 5305-614-0246 10 \mathbf{H} 5310-231-3026 2

| Section | | | OCK NUMBER AND REF O FIGURE AND ITEM | | MBER |
|----------------------------|-------------|----------|---|--------|---------|
| | Figure | Item | | Figure | Item |
| Stock Number | No. | No. | Stock Number | No. | No. |
| 5310-270-8810 | 5 12 | 3 4 | 5315-727-1636 | 8 | 25 |
| 5310-275-3683 | 3 | 7 | 5315-788-5372 | 9 | 10 |
| | | | 5320-999-0397 | 13 | 14 |
| 5310-282-7834 | 2 | 18 | 5330-171-5099 | 3 | 5 |
| 5310-543-5933 | 11 | 3 | | | |
| 5310-550-9449 | £ | 11 | 5330-186-1295 | 6 7 | 9 10 |
| 731U=77U - 9449 | 6 7 8 | 12 19 | | 8 | 3 |
| | 9 | ו | 5330-186-4947 | 2 | 8 |
| 5310-559-0070 | 4 4 | 2 7 | 5330-263-8028 | 2 | 9 |
| | ** | , | 5330-263-8030 | 12 | 5 |
| 5310-576-5752 | 4 | 19 | F770 047 0071 | 1 9 | |
| | 5 8 | 4 7 | 5330-263-8031 | 13 | Ш |
| | 12 | 3 | 5330-265-1075 | 13 | 24 |
| 53 10-596-7691 | 2 | 3 | 5330-582-7289 | 10 | 4 |
| 5310-596-7957 | 2 | 6 | 5330-727-2240 | 8 | 17 |
| | 8 | 5 2 | | ~ | _ |
| | 10 13 | 7 | 5330-788-0906 | 3 | 6 |
| | | · | 5330-988-8808 | 7 | 16 |
| 5310-616-3056 | 2 | 19 | 5330-993-0084 | 9 | 6 |
| 5310-788-0900 | 4 | 10 | | | |
| | 1 ** | A | 5330-993-0085 | 9 | 17 |
| 5310-809-8546 | 13 | 4 | 5330-999-0462 | 13 | 5 |
| 5310-849-7733 | 1 | 5 | | 7 | 15 |
| 5310-877-5796 | 13 | 10 | 5330-999-0478 | 7 | 15 |
| | | | 5330-999-0677 | 8 | 10 |
| 5310-934-9751 | 12 | 4 | 5340-079-7837 | 12 | 2 |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Stock Number | Figure No. | Item No. | Stock Number | Figure No. | Item No. |
|---|------------|----------|--------------|------------|----------|
| 5340-205-6301 | 2 | 1 | | | |
| 5340-282-8335 | 13 | 6 | | | |
| 5340-285-7010 | 4 | 18 | | | |
| 5340-597-9408 | 13 | 8 | | | |
| 5 340 - 769 - 5311 | 4 | 6 | | | |
| 5340-804-6855 | 8 | 21 | | | |
| 5340-977-7247 | 13 | 19 | | | |
| 5340-989-6774 | 6 | 5 | | | |
| 5340-989-6775 | 7 | 14 | | | |
| 5340-989-6776 | 8 | 12 | | | |
| 7690-728-5129 | 3 | 10 | | | |

| Section | Section IV.INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER | | | | | | | | | |
|------------------|--|------------|----------|------------------|-------------|-----------|-------------|--|--|--|
| Reference No. | Mfg <u>Code</u> | Fig No. | Item No. | Reference No. | Mfg Code | Fig No | Item No. | | | |
| A2121 | 95138 | 2 | 12 | B68-13-1567 | 81361 | 2 | 16 | | | |
| A68-13-1523 | 81361 | 13 | 19 | B81-1-526 | 81361 | 13 | 25 | | | |
| A68-13-1528 | 81361 | 11 | 10 | B81-1-6878 | 81361 | 1 | 2 | | | |
| A81-1-882 | 81361 | 13 | 22 | C68-13-1572 | 81361 | 11 | 2 | | | |
| AN381-2-10 | 88044 | 6 | 14 | D68-13-1551 | 81361 | i | 1 | | | |
| AN381-15-16 | 88044 | 6 | 15 | D68-13-1570 | 81361 | 1 | 7 | | | |
| AN6289D6 | 88044 | 6 | 8 | D81-1-6869-1 | 81361 | 1 | 3 | | | |
| AN6289-4 | 88044 | 2 | 9 | D81-1-6872-1 | 81361 | 1 | 9 | | | |
| AN814-5D | 88044 | 10 | 3 | D81-1-6876 | 8 36 | ı | 4 | | | |
| AN833-4 | 88044 | 2 | 20 | LP20074-03-03 | 03038 | 4 | 17 | | | |
| AN833-6D | 88044 | 6 | 7 | MIL-C-271 | 81349 | 13 | 23 | | | |
| AN837-6D | 88044 | 7 8 | 18 | MIL-C-2533 | 81349 | • | 8 | | | |
| AN911-1 | 88044 | 12 | 10 | MS134355 | 96906 | 10 | 15 | | | |
| AN924-10D | 88044 | 2 | 18 | MS15795-311 | 96906 | t | 5 | | | |
| AN960PD10 | 88044 | 8 | 8 | MS 6625-4037 | 96906 | ·8 | 21 | | | |
| B68-13-1532 | 81361 | 11 | 6. | MS20074-03-03 | 96906 | 2 | 4 | | | |
| B68-13-1540 | 81361 | 11 | 11 | MS20364-1032A | 96906 | 2 8 | 6 5 | | | |
| B68-13-1541 | 81361 | 11 | 9 | | | 13 | 7 | | | |
| B68-13-1560 | 81361 | 13 | 26 | MS21044N4 | 96906 | 13 | 10 | | | |
| B68-13-1566 | 81361 | 12 | 6 | MS21045-4 | 96906 | 13 | 16 | | | |
| | | - | | MS21318-13 | 96906 | 9 | 3 | | | |

| Reference No. | Mfg <u>Code</u> | Fig No. | Item No. | | Mfg <u>Code</u> | Fig No. | Item No. |
|----------------------|--------------------|------------|-------------|---------------------|--------------------|------------|-------------|
| MS21333-67 | 96906 | 12 | 2 | MS35226-62 | 96906 | 2 12 | 2 |
| MS21919DG-4 | 96906 | 2 | 1 | | | 13 | 3 |
| MS21919F8 | 96906 | 13 | 6 | MS35265-43 | 96906 | 4 | 8 |
| MS21919F10 | 96906 | 13 | 8 | MS35265-69 | 96906 | 4 | 20 |
| MS27183-8 | 96906 | 13 | 4 | MS35266-63 | 96906 | 10 | 11 |
| MS28777-4 | 96906 | 2 | 10 | MS35275-265 | 96906 | H | ı |
| MS28777 - 6 | 96906 | 6 | 9 | MS35292-32 | 96906 | 9 | 13 |
| MS28783-6 | 96906 | 3 | 2 | MS35333 -3 8 | 96906 | 4 | 2 |
| MS29512-04 | 96906 | 2 | 11 | | | 4 | 7 |
| MS29512-08 | 96906 | 13 | 11 | MS 35335- 39 | 96906 | 4 8 | 19 7 |
| MS29512-6 | 96906 | 12 | 5 | MS35333-73 | 96906 | 11 | 3 |
| MS29513-218 | 96906 | 13 | 24 | MS35335-3 | 96906 | H | 8 |
| MS29561-013 | 96906 | 10 | 9 | MS35335-32 | 96906 | 2 | 3 |
| MS29561-127 | 96906 | 8 | 10 | MS35335-40 | 96906 | 3 | 4 |
| 4S29561 - 217 | 96906 | 7 | 16 | MS35335-41 | 96906 | 2 | 19 |
| 4S29561 - 229 | 96906 | 8 | 17 | MS35337-26 | 96906 | 9 | 14 |
| 1835206-242 | 96906 | 4 9 | 2 | MS35650-104 | 96906 | 5 11 | 3 4 |
| 1835206-264 | 96906 | 10 | 5 | MS35650-302 | 96906 | 12 | 4 |
| IS35206 268 | 96906 | 8 | 6 | MS35842-14 | 96906 | 2 | 15 |
| IS35207 - 283 | 96906 | 13 | 17 | MS9015-08 | 96906 | 13 | 12 |

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| Reference | Mfg | Fig | Item | | Mfg | Fig | Item |
|-------------|--------------|-----|------|---------|---------------|------------|------|
| No. | <u>Cod e</u> | No. | No. | No. | <u>Code</u> | <u>No.</u> | No. |
| MS90725-3 | 96906 | 11 | 7 | 3260124 | 78385 | 4 | 9 |
| MS90726-7 | 96906 | 13 | 20 | 3260125 | 78385 | 4 | 13 |
| MS9320-10 | 96906 | 13 | 18 | 3260127 | 78385 | 9 | 9 |
| PA821-0604 | 92003 | 2 | 8 | 3260128 | 78385 | 7 | 3 |
| Q3L05X3A | 43334 | 9 | 7 | 3260129 | 78385 | 6 | 18 |
| Q8279 | 78385 | 6 | 19 | 3260130 | 78385 | 6 | 13 |
| QQ-A-250/11 | 81348 | 9 | 15 | 3260 32 | 78385 | 4 | 14 |
| 1-8-111 | 88408 | 11 | 5 | 3260133 | 78385 | б | 12 |
| 116-B100-14 | 78385 | 2 | 13 | 3260135 | 78385 | 8 | 9 |
| 11681-81N | 30327 | 12 | 9 | 3260139 | 78385 | 8 | 24 |
| 130A0456 | 78385 | 10 | 4 | 320142 | 783 85 | 8 | 20 |
| 130A457 | 57733 | 6 | 10 | 3260143 | 78385 | 8 | 23 |
| 130B2746 | 78385 | 6 | 1 | 3260144 | 57733 | 8 | 22 |
| 130B1136 | 78385 | 6 | 21 | 3260146 | 78385 | 8 | 14 |
| 14812Q6 | 80201 | 9 | 17 | 3260147 | 78385 | 8 | H |
| 1 4830Q6 | 80201 | 9 | 6 | 3260148 | 78385 | 6 | 5 |
| 2740251 | 78385 | 6 | 2 | 3260149 | 78385 | 8 | 13 |
| 274103 | 78385 | 6 | 3 | 3260153 | 78385 | 8 | 25 |
| 305 | 28986 | 2 | 17 | 3260159 | 78385 | 7 | 17 |
| | | | | 3260161 | 78385 | 7 | 14 |
| 3260123 | 78385 | 9 | 8 | 3260162 | 57733 | 6 | 16 |

Section IV.INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

| ce Mfg <u>Code</u> | Fig No. | | | Mfg <u>Code</u> | Fig <u>No.</u> | Item <u>No.</u> |
|-----------------------|--|--|--|--|---|---|
| 57733 | 6 | 17 | 3260566 | 78385 | 10 | 10 |
| 78385 | 8 | 15 | 3260569 | 78385 | 10 | 14 |
| 78385 | 8 | 16 | 3590175 | 78385 | 4 | 11 |
| 78385 | 5 | 5 | 3750231 | 78385 | 6 | 20 |
| 57733 | 9 | 10 | 3750345 | 78385 | 4 | 5 |
| 78385 | 7 | 8 | 3760100-4 | 78385 | 4 | 15 |
| 78385 | 6 | 22 | 3800178 | 78385 | 6 | 4 |
| 78385 | 4 | 6 | 3800195 | 78385 | 6 | 6 |
| 57733 | 9 | 5 | 3800196 | 78385 | 8 | 12 |
| 78385 | 9 | 16 | 3811000 | 78385 | 2 | 14 |
| 78385 | 9 | 18 | 3811021 | 78385 | 3 | 6 |
| 78385 | 4 | 12 | 3811022 | 78385 | 3 | İ |
| 78385 | 10 | 13 | 407-0271 | 78385 | 13 | 21 |
| 78385 | 9 | 4 | 412-0093 | 78385 | 9 | 8 |
| 78385 | 9 | 2 | 425-0124 | 78385 | 7 | 14 |
| 78385 | 4 | 3 | 434-0167 | 78 385 | 13 | 15 |
| 78385 | 3 | 7 | 434-0230 | 78385 | 13 | 15 |
| 78385 | 5 | 1 | 434-0233 | 78385 | 13 | 2 |
| 57733 | 4 | 4 | 4407-0058 | 78385 | 13 | 13 |
| 78385 | 2 | 7 | 4408-0054 | 78385 | 7 | 17 |
| 78385 | 10 | 12 | 4417-0013 | 78385 | 9 | 18 |
| | Code 57733 78385 | Code No. 57733 6 78385 8 78385 5 57733 9 78385 7 78385 6 78385 4 57733 9 78385 9 78385 9 78385 9 78385 9 78385 9 78385 9 78385 9 78385 3 78385 3 78385 5 57733 4 78385 2 | Code No. No. 57733 6 17 78385 8 15 78385 8 16 78385 5 5 57733 9 10 78385 7 8 78385 6 22 78385 4 6 57733 9 5 78385 9 16 78385 9 18 78385 4 12 78385 9 4 78385 9 4 78385 9 2 78385 3 7 78385 5 1 57733 4 4 78385 7 4 78385 7 7 78385 7 7 78385 7 7 78385 7 7 78385 7 7 78385 | Code No. No. No. 57733 6 17 3260566 78385 8 15 3260569 78385 8 16 3590175 78385 5 5 3750231 57733 9 10 3750345 78385 7 8 3760100-4 78385 6 22 3800178 78385 4 6 3800195 57733 9 5 3800196 78385 9 16 3811000 78385 9 18 3811021 78385 4 12 3811022 78385 9 4 412-0093 78385 9 4 412-0093 78385 9 4 425-0124 78385 3 7 434-0230 78385 3 7 434-0233 7733 4 4407-0058 78385 7 | Code No. No. No. Code 57733 6 17 3260566 78385 78385 8 15 3260569 78385 78385 8 16 3590175 78385 78385 5 5 3750231 78385 78385 7 8 3760100-4 78385 78385 7 8 3760100-4 78385 78385 6 22 3800178 78385 78385 4 6 3800195 78385 78385 9 16 3811000 78385 78385 9 18 3811021 78385 78385 9 18 3811022 78385 78385 9 4 412-0093 78385 78385 9 4 412-0093 78385 78385 9 4 412-0093 78385 78385 9 4 412-0093 7838 | Code No. No. No. Code No. 57733 6 17 3260566 78385 10 78385 8 15 3260569 78385 10 78385 8 16 3590175 78385 4 78385 5 5 3750231 78385 6 57733 9 10 3750345 78385 4 78385 7 8 3760100-4 78385 4 78385 6 22 3800178 78385 6 78385 4 6 3800195 78385 6 57733 9 5 3800196 78385 8 78385 9 16 3811000 78385 8 78385 9 18 3811021 78385 3 78385 10 13 407-0271 78385 13 78385 9 4 412-0093 78385 |

| Reference No. | Mfg <u>Code</u> | Fig No. | Item No. | Reference No. | Mfg Code | Fig <u>No.</u> | Item No. |
|--------------------|--------------------|------------|-------------|------------------|-------------|-------------------|-------------|
| 4421-0021 | 78385 | 7 | 19 | 742d6 | 88044 | 4 | 18 |
| 4428-0167 | 78385 | 4 | 16 | 803831 | 33525 | 12 | 7 |
| 4455-0017 | 78385 | 10 | 1 | 8599621-330 | 99974 | 8 | 18 |
| 4455-0020 | 78385 | 5 | 2 | 873561 | 33525 | 3 | 5 |
| 4455-0021 | 78385 | 5 | 6 | | | | |
| 4457-0016 | 78385 | 13 | 9 | | | | |
| 448-0480 | 78385 | 01 | 16 | | | | |
| 448-0483 | 78385 | 7 | 15 | | | | |
| 448-0507 | 78385 | 13 | 5 | | | | |
| 457-0023 | 78385 | 10 | 6 | | | | |
| 465-0118 | 78385 | 7 | 13 | | | | |
| 48A113 | 78385 | 3 | 3 | | | | |
| 50FK420 | 56878 | 6 | 11 | | | | |
| 500592 | 10001 | 12 | 9 | | | | |
| 52TE126 | 33525 | 4 | 10 | | | | |
| 514-0014 | 78385 | 9 | 7 | | | | |
| 514-0015 | 78385 | 9 | 11 | | | | |
| 528-0015 | 78385 | 12 | 8 | | | | |
| 528-0041 | 78385 | 10 | 7 | | | | |
| 5480042 - 1 | 78385 | 13 | 14 | • | | | |

By Order of the Secretary of the Army:

Official:

KENNETH G. WICKHAM, Major General, United States Army, The Adjutant General. W. C. WESTMORELAND, General, United States Army, Chief of Staff.

Distribution:

Active Army:

```
CNGB (1)
                                                      Arsenals (3) except
USAMB (2)
                                                        Edgewood (50)
USAMC (5)
                                                      Ft Knox FLDMS (10)
USAMUCOM (5)
                                                      Units org under fol TOE: 3 ea. UNOINDC
USACDC (2)
                                                       3-7
USACDCEC (10)
                                                       3-32
USACDC Agey (2)
                                                       3-36
USCONARC (10)
                                                       8-47
ARADCOM (5)
                                                       3-117
ARADCOM Rgn (5)
                                                       3 - 147
OS Maj Comd (5)
                                                       3-500
Armies (5)
                                                       29-1
Corps (3)
                                                       29-11
Div (8)
                                                       29-15
Instl (2) except
                                                       29-17 (1)
 USAECFB (4)
                                                       29-21
USMA (10)
                                                       29-25
Svc Colleges (10)
                                                       29-27 (1)
Br Svc Sch (10) except
                                                       29 - 35
  USACMLCS (50)
                                                       29-37 (1)
Gen Dep (5)
                                                       29-45
Dep (5)
                                                       29 - 51
Army Dep (5)
                                                       29-55
USAARMC (2)
                                                       29-56 (1)
USAFACES (2)
                                                       29-57 (1)
USAMMCS (2)
                                                       29-75
USAIC (2)
                                                       29-79 (1)
POE (1)
                                                       29-105
EAMTMTS (1)
                                                       29-106
WAMTMTS (1)
                                                       29-109
PG (5)
                                                       29-500
USAAPSA (5)
```

ARNG: State AG (8); Div (1).

USAR: Same as Active Army except allowance is one (1) copy each.

For explanation of abbreviations used, see AR 310-50.

☆ U.S. COVERNMENT PRINTING OFFICE : 1987--181-421 (70342)